

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--------------------------|--|---|--|------------------|---------|
| 3P PROCESSING | 1702 S. KNIGHT ST. (WEST & HARRY) WICHITA, KS 67213 | QUALITY MANAGER 316-943-0731 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 2/28/2025 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 2/28/2025 | YES |
| A & H WELDMASTERS | 253 NE 32 COURT OAKLAND PARK, FL 33334 | ANDRE VILLENEUVE 954-566-5481 | Torch Brazing ----- AWS C3.4 CLASS C | 2/28/2027 | NO |
| | | | TORCH BRAZING ----- MIL-B-7883 TYPE 1 | 2/28/2027 | NO |
| | | | FUSION WELDING FOR AEROSPACE ----- A10458 AWS D17.1 | 10/27/2025 | NO |
| | | | GAS TUNGSTEN ARC WELDING ----- MIL-STD-2219 | 10/27/2025 | NO |
| A&E TESTING | 1514 ROCHESTER STREET LIMA, NY 14485 | GENE SHORT-President 585-624-4500 | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 3/22/2025 | NO |
| AAA PLATING & INSPECTION | 424 DIXON STREET COMPTON, CA 90222 | BOB CUSTER, QA DIRECTOR 310-637-1066 | CADMIUM PLATING ----- AMS 2400 | 8/31/2025 | YES |
| | | | HARD COAT ALUMINUM ----- AMS 2469 | 8/31/2025 | YES |
| | | | ANODIZING ----- AMS 2470 | 8/31/2025 | YES |
| | | | ANODIZE ALUMINUM, SULFURIC ACID ----- AMS 2471 | 8/31/2025 | YES |
| | | | ANODIZING OF ALUMINUM & ALUMINUM ALLOYS ----- AMS 2472 | 8/31/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--------------------------|---------------------------------------|--|--|------------------|---------|
| AAA PLATING & INSPECTION | 424 DIXON STREET COMPTON, CA 90222 | BOB CUSTER, QA DIRECTOR 310-637-1066 | CONVERSION/PHOSPHATE COATINGS ----- AMS 2473 | 8/31/2025 | YES |
| | | | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 8/31/2025 | YES |
| | | | NADCAP AUDIT CRITERIA FOR SURFACE PREP PRIOR TO METAL BOND (AC) ----- AMS 7108/3 REV A | 8/31/2025 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- AMS-A-8625 | 8/31/2025 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 8/31/2025 | YES |
| | | | CADMIUM ELECTROPLATING ----- AMS-QQ-P-416 | 8/31/2025 | YES |
| | | | CHEM PASSIVATION OF STAINLESS PARTS ----- ASTM A967 & A380 | 8/31/2025 | YES |
| | | | CHEMICAL CONVERSION COAT ON ALU ----- MIL-C-5541 | 8/31/2025 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 8/31/2025 | YES |
| | | | SELECTIVE (BRUSH PLATING) ELECTRO DEP ----- MIL-STD-865 | 8/31/2025 | YES |
| | | | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 11/30/2025 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 11/30/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--------------------------|--|---------------------------------|---|------------------|---------|
| AAXON LABS, INC | 4113 MURRAY AVE HALTOM CITY, TX 76117 | CHRIS MOON 817-514-6900 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 2/28/2026 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 2/28/2026 | YES |
| | | | CHEM PASSIVATION OF STAINLESS PARTS ----- ASTM A967 & A380 | 2/28/2026 | YES |
| | | | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 5/31/2025 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 5/31/2025 | YES |
| Absolute Metal Finishing | 90 Morse Street Norwood, MA 02062 | 781-551-8235 | PLATING ELECTROLESS NICKEL ----- AMS 2404 | 5/31/2026 | YES |
| | | | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 5/31/2026 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 5/31/2026 | YES |
| | | | CHEMICAL PASSIVATION OF STAINLESS STEEL PARTS ----- ASTM A967 | 5/31/2026 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- MIL-A-8625 | 5/31/2026 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 5/31/2026 | YES |
| ACCURATE BRAZING | 36 COTE AVE GOFFSTOWN, NH 03045 | QUALITY MANAGER 603-625-1456 | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 8/31/2026 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 8/31/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--------------------------------------|---|---|--|------------------|---------|
| ACCURATE BRAZING | 36 COTE AVE GOFFSTOWN , NH 03045 | QUALITY MANAGER 603-625-1456 | HEAT TREATMENT AUSTENITIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/4 | 8/31/2026 | YES |
| | | | HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 8/31/2026 | YES |
| Acuren | 535 Kennedy Rd. Akron , OH 44305 | 330-405-8991 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 5/31/2025 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 5/31/2025 | YES |
| ADVANCE MANUFACTURING CO., INC | 8 TURNPIKE INDUSTRIAL PARK WESTFIELD , MA 01086-0726 | LOUISE MACINTYRE 413-568-2411 ext. 210 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 5/31/2025 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 5/31/2025 | YES |
| | | | FUSION WELDING FOR AEROSPACE ----- A10458 AWS D17.1 | 6/10/2025 | NO |
| | | | GD-OTS Induction & Flame Hardening Reqmts ----- G02.797 | 6/10/2025 | NO |
| | | | FUSION WELDING ----- MIL-STD-2219 FUSION | 6/10/2025 | NO |
| | | | AWS D1.2 ALUMINUM STRUCTURAL WELDING ----- A10458 AWS D1.2 | 7/10/2027 | NO |
| ADVANCE WELDING | 150 BROOKDALE DR SPRINGFIELD , MA 01104-3208 | Melinda Mitton 413 734-4544 | AWS D1.1 - D17.1 STEEL STRUCTURAL WELDING ----- A10458 AWS D1.1 - D1 | 8/31/2026 | YES |
| | | | AWS D1.2 ALUMINUM STRUCTURAL WELDING ----- A10458 AWS D1.2 | 8/31/2026 | YES |
| | | | AWS D1.6 - D17.1 SS STRUCTURAL WELDING ----- A10458 AWS D1.6 - D1 | 8/31/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|---|--|--------------------------------|--|---|--------------|
| ADVANCE WELDING | 150 BROOKDALE DR SPRINGFIELD, MA 01104-3208 | Melinda Mitton 413 734-4544 | FUSION WELDING FOR AEROSPACE ----- A10458 AWS D17.1 | 8/31/2026 | YES |
| | | | WELDING NICKEL & STAINLESS GP 2, CL B ----- AMS-W-6858 GR2 CLB | 8/31/2026 | YES |
| | | | WELDING NICKEL & STAINLESS GP 2, CL C ----- AMS-W-6858 GR2 CLC | 8/31/2026 | YES |
| | | | TORCH BRAZING ----- AWS C3.4 | 8/31/2026 | YES |
| | | | TORCH BRAZING ----- MIL-B-7883 TYPE 1 | 8/31/2026 | YES |
| | | | INDUCTION BRAZING ----- MIL-B-7883 TYPE III | 8/31/2026 | YES |
| | | | FUSION WELDING FOR AEROSPACE REQMTS ----- MIL-STD-2219 AERO | 8/31/2026 | YES |
| | | | Advanced Aero Coatings LLC | 9004 Trinity Blvd Fort Worth, TX 76118 | 817-280-0467 |
| ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- AMS-A-8625 | 5/31/2025 | YES | | | |
| PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 5/31/2025 | YES | | | |
| PASSIVATION ----- ASTM A380 | 5/31/2025 | YES | | | |
| CHEMICAL PASSIVATION OF STAINLESS STEEL PARTS ----- ASTM A967 | 5/31/2025 | YES | | | |
| ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- MIL-A-8625 | 5/31/2025 | YES | | | |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|------------------------------|---|----------------------------------|---|------------------|---------|
| Advanced Aero Coatings LLC | 9004 Trinity Blvd Fort Worth , TX 76118 | 817-280-0467 | CHEMICAL CONVERSION COAT ON ALU ----- MIL-C-5541 | 5/31/2025 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 5/31/2025 | YES |
| ADVANCED COATING TECHNIQUE | 311 Wyandanch Ave. West Babylon , NY 11704 | Leandro Aparicio 631-643-4555 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 12/31/2024 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- AMS-A-8625 | 12/31/2024 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 12/31/2024 | YES |
| | | | PHOSPHATE COATING ----- MIL-DTL-16232 | 12/31/2024 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 12/31/2024 | YES |
| | | | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 2/28/2025 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 2/28/2025 | YES |
| ADVANCED HEAT TREAT CORP | 2825 MIDPORT BLVD WATERLOO , IA 50703 | DELBERT CLUBINE 319-291-3393 | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 11/30/2025 | YES |
| | | | ION NITRIDING ----- AMS 2759/8 (R) | 11/30/2025 | YES |
| ADVANCED HEAT TREATING, INC. | 980 INDUSTRIAL COURT LOVES PARK , IL 61111 | Mary Pernacciaro 815-877-8593 | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 12/4/2026 | NO |
| | | | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 12/4/2026 | NO |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--------------------------------|---|----------------------------------|--|------------------|---------|
| ADVANCED HEAT TREATING, INC. | 980 INDUSTRIAL COURT LOVES PARK, IN 47444 | Mary Pernacciaro 815-877-8593 | CARBURIZING & HEAT TREAT OF CARB. GR. STEEL ----- AMS 2759/7 | 12/4/2026 | NO |
| ADVANCED NITRIDING SOLUTIONS | 1688 LAMMERS PIKE BATESVILLE, IN 47006 | JEFF SCHEEL 812-932-1010 x103 | GAS NITRIDING AND HEAT TREATMENT OF LOW-ALLOY STEEL PARTS ----- AMS 2759/6 | 11/30/2025 | YES |
| | | | ION NITRIDING ----- AMS 2759/8 (R) | 11/30/2025 | YES |
| | | | STANDARD TESTING FOR ROCKWELL HARDNESS ----- ASTM E18 | 11/30/2025 | YES |
| ADVANCED TECHNOLOGY CO. | 2858 E. WALNUT STREET PASADENA, CA 91107 | MOHAMMED ISLAM 626-449-2696 | Welding, Electron Beam ----- AMS2681 | 11/30/2025 | YES |
| ADVANTECH INDUSTRIES INC. | 3850 BUFFALO ROAD ROCHESTER, NY 14624 NY | 585-247-0701 | FUSION WELDING FOR AEROSPACE ----- A10458 AWS D17.1 | 11/3/2026 | NO |
| AEGEUS INSPECTION SOLUTION INC | 80 Pleasant Ave SOUTH PORTLAND, ME 04106 | Lukasz Cielezsko 207-799-8911 | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 1/17/2027 | NO |
| AERO BENDING COMPANY | 560 AUTO CENTER DR. PALMDALE, CA 93551 | QUALITY MANAGER 661-948-2363 | FUSION WELDING FOR AEROSPACE ----- A10458 AWS D17.1 | 2/28/2025 | YES |
| | | | FUSION WELDING FOR AEROSPACE REQMTS ----- MIL-STD-2219 AERO | 2/28/2025 | YES |
| AERO COTEC CORPORATION | 25, Gongdan 5-ro, Sanam-myeon SACHEON, Gyeongnam, South Korea | 1031227595 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 8/31/2025 | YES |
| | | | ELECTROLESS - NICKEL PLATING ----- AMS-C-26074 | 8/31/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--|---|-----------------|---|------------------|---------|
| AERO COTEC CORPORATION | 25, Gongdan 5-ro, Sanam-myeon SACHEON , Gyeongnam, South Korea | 1031227595 | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 8/31/2025 | YES |
| | | | ELECTROLESS NICKEL PLATING ----- MIL-C-26074 | 8/31/2025 | YES |
| | | | TYPE M OR Z, CLASS 2, PHOSPHATE COATING ----- MIL-DTL-16232 CL2 | 8/31/2025 | YES |
| | | | TYPE M OR Z, CLASS 3, PHOSPHATE COATING ----- MIL-DTL-16232 CL3 | 8/31/2025 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 8/31/2025 | YES |
| | | | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 8/31/2025 | YES |
| AERO COTEC CORPORATION- Oegukgieop-ro | 35, Oegukgieop-ro Sanam-myeon , 52531 Gyeongsangnam-do, S Korea | 1031227595 | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 8/31/2025 | YES |
| Aero Dynamics | 142 Batchelder Road Seabrook , NH 03874 | 603-474-2547 | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- AMS-A-8625 | 2/28/2026 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 2/28/2026 | YES |
| | | | PASSIVATION ----- ASTM A380 | 2/28/2026 | YES |
| | | | CHEMICAL PASSIVATION OF STAINLESS STEEL PARTS ----- ASTM A967 | 2/28/2026 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- MIL-A-8625 | 2/28/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|-----------------------------------|---|------------------------------------|---|------------------|---------|
| Aero Dynamics | 142 Batchelder Road Seabrook , NH 03874 | 603-474-2547 | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 2/28/2026 | YES |
| | | | HARD COAT ALUMINUM ----- AMS 2469 | 2/28/2026 | YES |
| | | | CONVERSION/PHOSPHATE COATINGS ----- AMS 2473 | 2/28/2026 | YES |
| | | | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 2/28/2026 | YES |
| AERO METAL FINISHING | 2150 NORTH LARK FENTON , MO 63026 | WENDEL HUGGINS 636-677-1650 | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 5/31/2025 | YES |
| AEROSPACE TESTING LAB | 32 SOUTH SATELLITE RD SOUTH WINDSOR , CT 06074 | QA MANAGER 860-882-1575 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 2/28/2026 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 2/28/2026 | YES |
| | | | Inspection, Liquid Penetrant and Magnetic Particle ----- MIL-STD-1907 | 2/28/2026 | YES |
| | | | ULTRASONIC INSPECTION ----- MIL-STD-2154 | 2/28/2026 | YES |
| Aerotech Processing Solutions LLC | 57 Wood St Paterson , NJ 07524 | 973-684-0119 | ANODIZING ----- AMS 2470 | 2/28/2025 | YES |
| | | | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 2/28/2025 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- AMS-A-8625 | 2/28/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|-----------------------------------|--|-----------------|--|------------------|---------|
| Aerotech Processing Solutions LLC | 57 Wood St Paterson , NJ 07524 | 973-684-0119 | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 2/28/2025 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- MIL-A-8625 | 2/28/2025 | YES |
| | | | CHEMICAL CONVERSION COAT ON ALU ----- MIL-C-5541 | 2/28/2025 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 2/28/2025 | YES |
| AFC- ALUMINUM FINISHING CO. Inc. | 1575 RAILROAD AVE BRIDGEPORT , CT 06605 | 203-366-5871 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 2/28/2025 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 2/28/2025 | YES |
| | | | CHEM PASSIVATION OF STAINLESS PARTS ----- ASTM A967 & A380 | 2/28/2025 | YES |
| | | | MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 1 ----- MIL-A-8625 TYII CL1 | 2/28/2025 | YES |
| | | | MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 2 ----- MIL-A-8625 TYII CL2 | 2/28/2025 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 2/28/2025 | YES |
| AIRCRAFT FINISHING | 612 Rutgers Rd N. Babylon , NY 11703 | 631-422-5000 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 8/31/2025 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- AMS-A-8625 | 8/31/2025 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 8/31/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|-----------------------------|---|---------------------------|--|------------------|---------|
| AIRCRAFT FINISHING | 612 Rutgers Rd N. Babylon , NY 11703 | 631-422-5000 | CADMIUM ELECTROPLATING ----- AMS-QQ-P-416 | 8/31/2025 | YES |
| | | | PASSIVATION ----- ASTM A380 | 8/31/2025 | YES |
| | | | CHEMICAL PASSIVATION OF STAINLESS STEEL PARTS ----- ASTM A967 | 8/31/2025 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 8/31/2025 | YES |
| | | | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 5/31/2025 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 5/31/2025 | YES |
| AIRCRAFT X-RAY LABORATORIES | 5216 PACIFIC BLVD HUNTINGTON PARK , CA 90255 | DON DAVIS 323-587-4141 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 2/28/2025 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 2/28/2025 | YES |
| | | | RADIOGRAPHIC INSPECTION ----- ASTM E1742 | 2/28/2025 | YES |
| | | | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 11/30/2025 | YES |
| AKRON STEEL HEAT TREAT | 336 MORGAN AVE AKRON , OH 44311 | 330-773-8211 | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 8/31/2025 | YES |
| | | | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 8/31/2025 | YES |
| | | | HEAT TREAT OF LOW-ALLOY STEEL PARTS > 220 KSI ----- AMS 2759/2 | 8/31/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|------------------------|---|----------------------------|--|------------------|---------|
| AKRON STEEL HEAT TREAT | 336 MORGAN AVE AKRON, OH 44311 | 330-773-8211 | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 8/31/2025 | YES |
| | | | HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 8/31/2025 | YES |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 8/31/2025 | YES |
| ALERT PLATING CO | 9939 GLEN OAKS BLVD SUN VALLEY, CA 91352 | QA MANAGER 818-771-9304 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 8/31/2026 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- AMS-A-8625 | 8/31/2026 | YES |
| | | | NICKEL PLATING ----- AMS-QQ-N-290 | 8/31/2026 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 8/31/2026 | YES |
| | | | CHEMICAL PASSIVATION OF STAINLESS STEEL PARTS ----- ASTM A967 | 8/31/2026 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 8/31/2026 | YES |
| | | | NICKEL ELECTROPLATING ----- QQ-N-290 | 8/31/2026 | YES |
| ALLOYWELD INSPECTION | 796 MAPLE LN BENSENVILLE, IL 60106 | QA MANAGER 630-595-2145 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 2/28/2025 | YES |
| | | | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 11/30/2026 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 11/30/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|-----------------------------|---|--|---|------------------|---------|
| ALLOYWELD INSPECTION | 796 MAPLE LN BENSENVILLE , IL 60106 | QA MANAGER 630-595-2145 | RADIOGRAPHIC INSPECTION ----- ASTM E1742 | 11/30/2026 | YES |
| | | | ULTRASONIC INSPECTION ----- MIL-STD-2154 | 11/30/2026 | YES |
| Alloyweld Inspection Co Inc | 840 CHURCH ROAD Elgin , IL 60106 | (630) 595-2145 | A10458 AWS D1.1 - D17.1 STEEL STRUCTURAL WELDING ----- A10458 | 11/30/2026 | YES |
| ALPHACASTING INC. | 391 SAINTE-CROIX SAINT-LAURENT , H4N 2L3 QC | FREDERIK CENTAZZO 514 748-7511 x233 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 8/31/2025 | YES |
| | | | RADIOGRAPHIC INSPECTION ----- ASTM E1742 | 8/31/2025 | YES |
| | | | In-Process Welding of Castings ----- A10318 | 11/30/2026 | YES |
| | | | FUSION WELDING FOR AEROSPACE ----- AWS-D-17.1 | 11/30/2026 | YES |
| American Electro Products | 1358 Thomaston Avenue Waterbury , CT 06704 | 203-756-7051 | NICKEL PLATING ----- AMS-QQ-N-290 | 11/30/2025 | YES |
| | | | GOLD ELECTROPLATING ----- MIL-DTL-45204 | 11/30/2025 | YES |
| AMERICAN METAL TESTING | 1201 E LINCOLNWAY LAPORTE , IN 46350-2510 | JERRY CLAXON 219-324-2381 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 5/31/2025 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 5/31/2025 | YES |
| | | | RADIOGRAPHIC INSPECTION ----- ASTM E1742-00 | 5/31/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|-----------------------------------|---|--|---|------------------|---------|
| American Testing Services LTD | 2000 Old Byers Road Miamisburg, OH 45342 | 937-298-9390 | Ultrasonic Testing ----- AMS 2154 | 8/31/2026 | YES |
| | | | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 8/31/2026 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 8/31/2026 | YES |
| | | | RADIOGRAPHIC INSPECTION ----- ASTM E1742 | 8/31/2026 | YES |
| American Tinning & Galvanizing Co | 552 West 12 th St Erie, PA 16501 | 814-456-7053 | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 5/31/2025 | YES |
| AMZ MANUFACTURING CORPORATION | 2206 PA. AVE YORK, PA 17404 | MIKE BILLMAN 717-848-2565 | ZINC ELECTROPLATING ----- ASTM B633 | 2/28/2025 | YES |
| | | | PHOSPHATE COATING ----- MIL-DTL-16232 | 2/28/2025 | YES |
| ANODICS | 4105 MURRAY AVE FORT WORTH, TX 76117 | QUALITY CONTROL MANAGER 817-281-2743 | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- MIL-A-8625 | 5/31/2025 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 5/31/2025 | YES |
| ANODIZING INDUSTRIES | 5160 ALHAMBRA AVE LOS ANGELES, CA 90032 | CYNTHIA PIAZZA 323-227-4916 | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- MIL-A-8625 | 2/28/2025 | YES |
| ANODYNE INC | 2230 SUSAN ST SANTA ANA, CA 92704 | JOHN MCKENNA 714-549-3321 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 2/28/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|----------------------|--|--|--|------------------|---------|
| ANOPLATE CORPORATION | 459 PULASKI STREET SYRACUSE, NY 13204 | ROBERT GINN, QC MANAGER 315-471-6143 | PLATING ELECTROLESS NICKEL ----- AMS 2404 | 11/30/2025 | YES |
| | | | Hard Coating of Alum Alloys Teflon Impregnated or Codeposit ----- AMS 2482 | 11/30/2025 | YES |
| | | | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 11/30/2025 | YES |
| | | | AMS-P-81728 TIN-LEAD PLATING ----- AMS-P-81728 | 11/30/2025 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 11/30/2025 | YES |
| | | | CADMIUM ELECTROPLATING ----- AMS-QQ-P-416 | 11/30/2025 | YES |
| | | | ASTM B 545 ELECTRODEPOSITED COATINGS OF TIN ----- ASTM B545 | 11/30/2025 | YES |
| | | | ZINC ELECTROPLATING TYPE I ----- ASTM B633 TYPE I | 11/30/2025 | YES |
| | | | ZINC ELECTROPLATING TYPE II ----- ASTM B633 TYPE II | 11/30/2025 | YES |
| | | | ZINC ELECTROPLATING TYPE III ----- ASTM B633 TYPE III | 11/30/2025 | YES |
| | | | ZINC ELECTROPLATING TYPE IV ----- ASTM B633 TYPE IV | 11/30/2025 | YES |
| | | | ZINC ELECTROPLATING TYPE V ----- ASTM B633 TYPE V | 11/30/2025 | YES |
| | | | ZINC ELECTROPLATING TYPE VI ----- ASTM B633 TYPE VI | 11/30/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|-----------------------------|--|--|--|------------------|---------|
| ANOPLATE CORPORATION | 459 PULASKI STREET SYRACUSE, NY 13204 | ROBERT GINN, QC MANAGER 315-471-6143 | Electroless Nickel - Phosphorus Coatings ----- ASTM B733 | 11/30/2025 | YES |
| | | | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE I, CLASS 1 ----- MIL-A-8625 TYI CL1 | 11/30/2025 | YES |
| | | | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE I, CLASS 2 ----- MIL-A-8625 TYI CL2 | 11/30/2025 | YES |
| | | | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE IB, CLASS 1 ----- MIL-A-8625 TYIB CL1 | 11/30/2025 | YES |
| | | | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE IB, CLASS 2 ----- MIL-A-8625 TYIB CL2 | 11/30/2025 | YES |
| | | | MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 1 ----- MIL-A-8625 TYII CL1 | 11/30/2025 | YES |
| | | | MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 2 ----- MIL-A-8625 TYII CL2 | 11/30/2025 | YES |
| | | | MIL-A-8625 HARDCOAT - ALUM ANOD TYPE III, CLASS 1 ----- MIL-A-8625 TYIII CL1 | 11/30/2025 | YES |
| | | | MIL-A-8625 HARDCOAT - ALUM ANOD TYPE III, CLASS 2 ----- MIL-A-8625 TYIII CL2 | 11/30/2025 | YES |
| | | | ELECTROLESS NICKEL PLATING ----- MIL-C-26074 | 11/30/2025 | YES |
| | | | CLASS 1, BLACK OXIDE ----- MIL-DTL-13924 CL 1 | 11/30/2025 | YES |
| | | | CLASS 2, BLACK OXIDE ----- MIL-DTL-13924 CL 2 | 11/30/2025 | YES |
| | | | CLASS 4, BLACK OXIDE ----- MIL-DTL-13924 CL 4 | 11/30/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--------------------------------|---|---|--|------------------|---------|
| ANOPLATE CORPORATION | 459 PULASKI STREET SYRACUSE, NY 13204 | ROBERT GINN, QC MANAGER 315-471-6143 | PHOSPHATE COATING ----- MIL-DTL-16232 | 11/30/2025 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 11/30/2025 | YES |
| | | | NICKEL, ELECTROLYTIC ----- MIL-P-18317 | 11/30/2025 | YES |
| | | | SOLID FILM LUBE COATING ----- MIL-PRF-46010F | 11/30/2025 | YES |
| | | | TYPE I TIN ELECTROPLATING ----- MIL-T-10727 TYI | 11/30/2025 | YES |
| | | | CHROMIUM ELECTROPLATING ----- QQ-C-320 | 11/30/2025 | YES |
| | | | NICKEL ELECTROPLATING ----- QQ-N-290 | 11/30/2025 | YES |
| | | | CADMIUM ELECTROPLATING ----- QQ-P-416 | 11/30/2025 | YES |
| | | | SILVER ELECTROPLATING ----- QQ-S-365 | 11/30/2025 | YES |
| AO PRECISION MANUFACTURING LLC | 1870 MASON AVENUE DAYTONA BEACH, FL 32117 | Patrick Gear 386-274-5882 X114 Chris Johnson | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 5/31/2026 | YES |
| | | | PHOSPHATE COATING ----- MIL-DTL-16232 | 5/31/2025 | YES |
| AOTCO METAL FINISHING CO | 11 SUBURBAN PARK DRIVE BILLERICA, MA 01821 | LYNNE NASON 978-667-8298 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 2/28/2026 | YES |
| | | | PASSIVATION ----- ASTM A380 | 2/28/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|------------------------------|--|---------------------------------|---|------------------|---------|
| AOTCO METAL FINISHING CO | 11 SUBURBAN PARK DRIVE BILLERICA , MA 01821 | LYNNE NASON 978-667-8298 | CHEMICAL PASSIVATION OF STAINLESS STEEL PARTS ----- ASTM A967 | 2/28/2026 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- MIL-A-8625 | 2/28/2026 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 2/28/2026 | YES |
| | | | TYPE I TIN ELECTROPLATING ----- MIL-T-10727 TYI | 2/28/2026 | YES |
| APEX INSPECTIONS INC. | 12901 Nicholson Road #200 Farmers Branch , TX 75234 | Rachel Vocelka 972-418-5672 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 2/14/2025 | NO |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 2/14/2025 | NO |
| APPLIED THERMAL TECHNOLOGIES | 2169 N 100 E WARSAW , IN 46582 | QUALITY MANAGER 574-269-7116 | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 2/28/2026 | YES |
| | | | HEAT TREATMENT AUSTENITIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/4 | 2/28/2026 | YES |
| | | | HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 2/28/2026 | YES |
| | | | HEAT TREATMENT OF PARTS IN A VACUUM ----- AMS 2769 | 2/28/2026 | YES |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 2/28/2026 | YES |
| | | | HEAT TREATMENT OF TITANIUM ----- AMS-H-81200 | 2/28/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|----------------------|---|--------------------------------|---|------------------|---------|
| ARMOLOY OF CONN | 151 ENTERPRISE DR BRISTOL, CT 06010 | DAVID GRAHAM 860-583-7088 | Chromium Plating, Thin, Hard, Dense Deposit ----- AMS 2438 | 11/30/2025 | YES |
| | | | CHROMIUM PLATING ----- AMS-QQ-C-320 | 11/30/2025 | YES |
| ARMSTRONG MOLD CORP. | 6910 MANLIUS CENTER ROAD EAST SYRACUSE, NY 13057 | BERINE CERIANI 315-437-1517 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 1/21/2026 | NO |
| | | | RADIOGRAPHIC INSPECTION ----- ASTM E1742 | 1/21/2026 | NO |
| | | | HEAT TREATMENT OF WROUGHT ALUMINUM ALLOY PARTS ----- AMS 2770 | 1/21/2026 | NO |
| | | | Heat Treatment of Aluminum Alloy Castings ----- AMS 2771 | 1/21/2026 | NO |
| | | | ALUMINUM HEAT TREAT FOR 6061, 6063 ALLOYS ----- AMS 2773 | 1/21/2026 | NO |
| | | | HEAT TREATMENT OF ALUMINUM ALLOYS ----- MIL-H-6088G | 1/21/2026 | NO |
| Asko Processing, Inc | 434 N 35th Street Seattle, WA 98103 | 206-634-2080 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 2/28/2025 | YES |
| | | | ELECTROLESS - NICKEL PLATING ----- AMS-C-26074 | 2/28/2025 | YES |
| | | | CHEM PASSIVATION OF STAINLESS PARTS ----- ASTM A967 & A380 | 2/28/2025 | YES |
| | | | ELECTROLESS NICKEL PLATING ----- MIL-C-26074 | 2/28/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--------------------------------|---|----------------------------------|--|------------------|---------|
| ASTRO ALUMINUM TREATING CO INC | 11040 PALMER AVENUE SOUTH GATE , CA 90290 | TOM GLOSSER 526-923-4344 | HEAT TREATMENT OF WROUGHT ALUMINUM ALLOY PARTS ----- AMS 2770 | 2/28/2025 | YES |
| | | | ALUMINUM HEAT TREAT OF RAW MATERIAL ----- AMS 2772 | 2/28/2025 | YES |
| | | | HEAT TREATMENT OF ALUMINUM AND ALUMINUM ALLOYS ----- AMS-H-6088 | 2/28/2025 | YES |
| | | | STANDARD TESTING FOR ROCKWELL HARDNESS ----- ASTM E18 | 2/28/2025 | YES |
| Athena Manufacturing | 15900 Bratton Ln Austin , TX 78728 | 512-928-2693 | FUSION WELDING FOR AEROSPACE ----- A10458 AWS D17.1 | 12/12/2024 | NO |
| | | | SPECIFICATIONS FOR WELDING, ALUMINUM, and ALUMINUM ALLOY ----- MIL-W-22248A | 12/12/2024 | NO |
| AURORA MACHINE | 200 TECH PARK DRIVE ROCHESTER , NY 14623 NY | Vincenzo Chirido 585-201-8288 | AWS D1.1 - D17.1 STEEL STRUCTURAL WELDING ----- A10458 AWS D1.1 - D1 | 1/24/2027 | NO |
| | | | FUSION WELDING FOR AEROSPACE ----- A10458 AWS D17.1 | 1/24/2027 | NO |
| AUTOMATED COATINGS INC. | 1504A QUARRY DRIVE EDGEWOOD , MD 21040 | DAWNE JOHNSON 410-671-7383 | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 11/30/2025 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- MIL-A-8625 | 11/30/2025 | YES |
| | | | MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 1 ----- MIL-A-8625 TYII CL1 | 11/30/2025 | YES |
| | | | MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 2 ----- MIL-A-8625 TYII CL2 | 11/30/2025 | YES |
| | | | ALUM CHEMICAL FILM TYPE I, CLASS 3 ----- MIL-DTL-5541 TYI CL3 | 11/30/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|-------------------------------|--|--------------------------------|--|------------------|---------|
| AUTOMATED COATINGS INC. | 1504A QUARRY DRIVE EDGEWOOD , MD 21040 | DAWNE JOHNSON 410-671-7383 | ALUM CHEMICAL FILM TYPE II ----- MIL-DTL-5541 TYII | 11/30/2025 | YES |
| | | | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 11/30/2025 | YES |
| Avtec Finishing Systems, Inc. | 9101 Science Center Drive New Hope , MN 55428 | 763-533-4822 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 5/31/2025 | YES |
| | | | CHEM PASSIVATION OF STAINLESS PARTS ----- ASTM A967 & A380 | 5/31/2025 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- MIL-A-8625 | 5/31/2025 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 5/31/2025 | YES |
| B & M FINISHERS | 201 S. 31st ST KENILWORTH , NJ 07033 | TONY CAROSELLI 908-241-5640 | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE I, CLASS 1 ----- MIL-A-8625 TYI CL1 | 5/31/2025 | YES |
| | | | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE I, CLASS 2 ----- MIL-A-8625 TYI CL2 | 5/31/2025 | YES |
| | | | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE IB, CLASS 1 ----- MIL-A-8625 TYIB CL1 | 5/31/2025 | YES |
| | | | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE IB, CLASS 2 ----- MIL-A-8625 TYIB CL2 | 5/31/2025 | YES |
| | | | MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 1 ----- MIL-A-8625 TYII CL1 | 5/31/2025 | YES |
| | | | MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 2 ----- MIL-A-8625 TYII CL2 | 5/31/2025 | YES |
| | | | MIL-A-8625 HARDCOAT - ALUM ANOD TYPE III, CLASS 1 ----- MIL-A-8625 TYIII CL1 | 5/31/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|-----------------------------------|---|--------------------------------|--|------------------|---------|
| B & M FINISHERS | 201 S. 31st ST KENILWORTH , NJ 07033 | TONY CAROSELLI 908-241-5640 | MIL-A-8625 HARDCOAT - ALUM ANOD TYPE III, CLASS 2 ----- MIL-A-8625 TYIII CL2 | 5/31/2025 | YES |
| | | | ALUM CHEMICAL FILM TYPE I ----- MIL-DTL-5541 TYI | 5/31/2025 | YES |
| | | | ALUM CHEMICAL FILM TYPE II ----- MIL-DTL-5541 TYII | 5/31/2025 | YES |
| | | | Hardness & Conductivity Inspection of Wrought Alum Alloy Par ----- AMS 2658 | 8/31/2026 | YES |
| B&E Precision Aircraft Components | NEHTS (New England Heat Treating Services) 101 Springdale Rd Westfield , MA 01085 | 413-572-9920 | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 8/31/2026 | YES |
| | | | HEAT TREATMENT AUSTENITIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/4 | 8/31/2026 | YES |
| | | | HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 8/31/2026 | YES |
| | | | HEAT TREATMENT OF PARTS IN A VACUUM ----- AMS 2769 | 8/31/2026 | YES |
| | | | HEAT TREATMENT OF WROUGHT ALUMINUM ALLOY PARTS ----- AMS 2770 | 8/31/2026 | YES |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 8/31/2026 | YES |
| | | | HEAT TREATMENT OF TITANIUM ----- AMS-H-81200 | 8/31/2026 | YES |
| | | | STANDARD TESTING FOR ROCKWELL HARDNESS ----- ASTM E18 | 8/31/2026 | YES |
| | | | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 5/31/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|-----------------------------------|---|---------------------------------|---|------------------|---------|
| B&E Precision Aircraft Components | NEHTS (New England Heat Treating Services) 464 Springdale Rd | 413-572-9920 | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 5/31/2025 | YES |
| BARRON INDUSTRIES INC | 215 PLXUS DRIVE OXFORD, MI 48371 MI | Greg Barron | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 5/31/2026 | YES |
| | | | RADIOGRAPHIC INSPECTION ----- ASTM E1742 | 5/31/2026 | YES |
| | | | FUSION WELDING FOR AEROSPACE ----- AWS-D-17.1 | 2/28/2026 | YES |
| BARRY AVENUE PLATING, INC. | 2210 BARRY AVE LOS ANGELES, CA 90064 | QUALITY MANAGER 310-478-0078 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 11/30/2026 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- AMS-A-8625 | 11/30/2026 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 11/30/2026 | YES |
| | | | PASSIVATION ----- ASTM A380 | 11/30/2026 | YES |
| | | | CHEMICAL PASSIVATION OF STAINLESS STEEL PARTS ----- ASTM A967 | 11/30/2026 | YES |
| | | | CLASS 1, BLACK OXIDE ----- MIL-DTL-13924 CL 1 | 11/30/2026 | YES |
| | | | CLASS 4, BLACK OXIDE ----- MIL-DTL-13924 CL 4 | 11/30/2026 | YES |
| | | | PHOSPHATE COATING ----- MIL-DTL-16232 | 11/30/2026 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 11/30/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|---|--------------------------------------|----------------------------------|---|------------------|---------|
| Bennett Heat Treating & Brazing Co | 82 RICHARD ROAD IVYLAND, PA 18974 | 215-674-8120 | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 11/30/2026 | YES |
| | | | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 11/30/2026 | YES |
| | | | HEAT TREAT OF LOW-ALLOY STEEL PARTS > 220 KSI ----- AMS 2759/2 | 11/30/2026 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 11/30/2026 | YES |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 11/30/2026 | YES |
| BENNETT HEAT TREATING AND BRAZING CO, INC | 690 FERRY STREET NEWARK, NJ 07105 | CHESTER JOHNSTON 973-772-4200 | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 11/30/2025 | YES |
| | | | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 11/30/2025 | YES |
| | | | HEAT TREAT OF LOW-ALLOY STEEL PARTS > 220 KSI ----- AMS 2759/2 | 11/30/2025 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 11/30/2025 | YES |
| | | | HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 11/30/2025 | YES |
| | | | GAS NITRIDING AND HEAT TREATMENT OF LOW-ALLOY STEEL PARTS ----- AMS 2759/6 | 11/30/2025 | YES |
| | | | CARBURIZING & HEAT TREAT OF CARB. GR. STEEL ----- AMS 2759/7 | 11/30/2025 | YES |
| | | | HEAT TREATMENT OF WROUGHT ALUMINUM ALLOY PARTS ----- AMS 2770 | 11/30/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|---|--|----------------------------------|---|------------------|---------|
| BENNETT HEAT TREATING AND BRAZING CO, INC | 690 FERRY STREET NEWARK, NJ 07105 | CHESTER JOHNSTON 973-772-4200 | Heat Treatment of Aluminum Alloy Castings ----- AMS 2771 | 11/30/2025 | YES |
| | | | ALUMINUM HEAT TREAT OF RAW MATERIAL ----- AMS 2772 | 11/30/2025 | YES |
| | | | HEAT TREATMENT OF TITANIUM ALLOY PARTS ----- AMS 2801 | 11/30/2025 | YES |
| | | | HEAT TREATMENT OF ALUMINUM AND ALUMINUM ALLOYS ----- AMS-H-6088 | 11/30/2025 | YES |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 11/30/2025 | YES |
| | | | HEAT TREATMENT OF TITANIUM ----- AMS-H-81200 | 11/30/2025 | YES |
| | | | TORCH BRAZING ----- MIL-B-7883 TYPE 1 | 11/30/2025 | YES |
| | | | INDUCTION BRAZING ----- MIL-B-7883 TYPE III | 11/30/2025 | YES |
| B-G Detection Services | 9235 Glen Oaks Blvd Sun Valley, CA 91352-2625 | Kenric Nilsson 818-768-8655 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 11/30/2025 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- QQ-P-35 | 11/30/2025 | YES |
| Black Oxide Industries Inc. | 1745 N Orangethorpe Park Anaheim, CA 92801 | (714) 870-9610 | CONVERSION COATINGS - STEEL ----- AMS 2485 | 5/31/2025 | YES |
| | | | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 5/31/2025 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 5/31/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|---------------------------------|--|----------------------------|--|--|--|
| Black Oxide Industries Inc. | 1745 N Orangethorpe Park Anaheim , CA 92801 | (714) 870-9610 | CLASS 1, BLACK OXIDE ----- MIL-DTL-13924 CL 1 | 5/31/2025 | YES |
| | | | CLASS 2, BLACK OXIDE ----- MIL-DTL-13924 CL 2 | 5/31/2025 | YES |
| | | | CLASS 3, BLACK OXIDE ----- MIL-DTL-13924 CL 3 | 5/31/2025 | YES |
| | | | CLASS 4, BLACK OXIDE ----- MIL-DTL-13924 CL 4 | 5/31/2025 | YES |
| Bodycote Hot Isostatic Pressing | 155 River Street Andover , MA 01810 | 978-470-1620 | Hot Isostatic Pressing ----- P224 | 2/28/2025 | YES |
| | | | 4605 NW Pacific Rim Blvd Camas , WA 98607 | Anthony Powers, QE (360) 833-1120 ext 126 | AMS 2750 Heat Treat ----- AMS 2750 |
| | HEAT TREATMENT OF TITANIUM ----- AMS-H-81200 | 11/30/2024 | | | YES |
| | | | Hot Isostatic Pressing ----- P224 | 11/30/2024 | YES |
| BODYCOTE - HUNTINGTON PARK | 3370 BENEDICT WAY HUNTINGTON PARK , CA 90255 | TODD ERKLE 323-583-1231 | AMS 2750 Heat Treat ----- AMS 2750 | 8/31/2025 | YES |
| | | | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 8/31/2025 | YES |
| | | | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 8/31/2025 | YES |
| | | | HEAT TREAT OF LOW-ALLOY STEEL PARTS > 220 KSI ----- AMS 2759/2 | 8/31/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--|---|----------------------------|--|---|---|
| BODYCOTE - HUNTINGTON PARK | 3370 BENEDICT WAY HUNTINGTON PARK , CA 90255 | TODD ERKLE 323-583-1231 | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 8/31/2025 | YES |
| | | | HEAT TREATMENT AUSTENITIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/4 | 8/31/2025 | YES |
| | | | HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 8/31/2025 | YES |
| | | | GAS NITRIDING AND HEAT TREATMENT OF LOW-ALLOY STEEL PARTS ----- AMS 2759/6 | 8/31/2025 | YES |
| | | | CARBURIZING & HEAT TREAT OF CARB. GR. STEEL ----- AMS 2759/7 | 8/31/2025 | YES |
| | | | CARBURIZING CARBON & LOW ALLOY STEELS ----- AMS 2762 | 8/31/2025 | YES |
| | | | HEAT TREATMENT OF PARTS IN A VACUUM ----- AMS 2769 | 8/31/2025 | YES |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 8/31/2025 | YES |
| | | | Heat Treatment of Wrought Copper-Beryllium Alloys, Process ----- AMS-H-7199 | 8/31/2025 | YES |
| | | | Bodycote Thermal Processing- Berlin CT | 675 Christian Lane Berlin , CT 06037 | Bill Mossberg- General Manager 1 860-225-7691 |
| HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 11/30/2026 | YES | | | |
| HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 11/30/2026 | YES | | | |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|---|--|--|---|------------------|---------|
| Bodycote Thermal Processing- Berlin CT | 675 Christian Lane Berlin , CT 06037 | Bill Mossberg- General Manager 1 860-225-7691 | HEAT TREATMENT AUSTENITIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/4 | 11/30/2026 | YES |
| | | | HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 11/30/2026 | YES |
| | | | HEAT TREATMENT OF PARTS IN A VACUUM ----- AMS 2769 | 11/30/2026 | YES |
| | | | HEAT TREATMENT OF WROUGHT ALUMINUM ALLOY PARTS ----- AMS 2770 | 11/30/2026 | YES |
| | | | Heat Treatment of Aluminum Alloy Castings ----- AMS 2771 | 11/30/2026 | YES |
| | | | ALUMINUM HEAT TREAT OF RAW MATERIAL ----- AMS 2772 | 11/30/2026 | YES |
| | | | HEAT TREATMENT OF TITANIUM ALLOY PARTS ----- AMS 2801 | 11/30/2026 | YES |
| | | | HEAT TREATMENT OF ALUMINUM AND ALUMINUM ALLOYS ----- AMS-H-6088 | 11/30/2026 | YES |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 11/30/2026 | YES |
| | | | HEAT TREATMENT OF TITANIUM ----- AMS-H-81200 | 11/30/2026 | YES |
| | | | STANDARD TESTING FOR ROCKWELL HARDNESS ----- ASTM E18 | 11/30/2026 | YES |
| BODYCOTE THERMAL PROCESSING- FORT WORTH | 4008 Clay Avenue Haltom City , TX 76117 | Tony Marsh 817-737-6651 | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 8/31/2026 | YES |
| | | | HEAT TREAT OF LOW-ALLOY STEEL PARTS > 220 KSI ----- AMS 2759/2 | 8/31/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--|--|----------------------------|--|--|---------------------------------|
| BODYCOTE THERMAL PROCESSING- FORT WORTH | 4008 Clay Avenue Haltom City , TX 76117 | Tony Marsh 817-737-6651 | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 8/31/2026 | YES |
| | | | HEAT TREATMENT AUSTENITIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/4 | 8/31/2026 | YES |
| | | | HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 8/31/2026 | YES |
| | | | HEAT TREATMENT OF PARTS IN A VACUUM ----- AMS 2769 | 8/31/2026 | YES |
| | | | HEAT TREATMENT OF WROUGHT ALUMINUM ALLOY PARTS ----- AMS 2770 | 8/31/2026 | YES |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 8/31/2026 | YES |
| | | | HEAT TREATMENT OF TITANIUM ----- AMS-H-81200 | 8/31/2026 | YES |
| | | | STANDARD TESTING FOR ROCKWELL HARDNESS ----- ASTM E18 | 8/31/2026 | YES |
| | | | BODYCOTE THERMAL PROCESSING-IPSWICH | 11C OLD RIGHT ROAD IPSWICH , MA 01938 | QUALITY MANAGER 978-356-3818 |
| HEAT TREATMENT AUSTENITIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/4 | 8/31/2025 | YES | | | |
| HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 8/31/2025 | YES | | | |
| HEAT TREATMENT OF PARTS IN A VACUUM ----- AMS 2769 | 8/31/2025 | YES | | | |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|-------------------------------------|--|---------------------------------|---|------------------|---------|
| BODYCOTE THERMAL PROCESSING-IPSWICH | 11C OLD RIGHT ROAD IPSWICH , MA 01938 | QUALITY MANAGER 978-356-3818 | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 8/31/2025 | YES |
| | | | STANDARD TESTING FOR ROCKWELL HARDNESS ----- ASTM E18 | 8/31/2025 | YES |
| BODYCOTE THERMAL PROCESSING-LACONIA | 187 WATER ST LACONIA , NH 03246 | Kevin Cyrulik 603-524-7886 | GD-OTS Induction & Flame Hardening Reqmts ----- G02.797 | 6/27/2027 | NO |
| | | | Surface Hardening: Flame and Induction for Ferrous Alloys ----- MIL-S-12515 | 6/27/2027 | NO |
| | | | Induction Hardening of Steel Parts ----- AMS 2745 | 5/31/2025 | YES |
| | | | AMS 2750 Heat Treat ----- AMS 2750 | 5/31/2025 | YES |
| | | | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 5/31/2025 | YES |
| | | | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 5/31/2025 | YES |
| | | | HEAT TREAT OF LOW-ALLOY STEEL PARTS > 220 KSI ----- AMS 2759/2 | 5/31/2025 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 5/31/2025 | YES |
| | | | HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 5/31/2025 | YES |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 5/31/2025 | YES |
| | | | STANDARD TESTING FOR ROCKWELL HARDNESS ----- ASTM E18 | 5/31/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|-------------------------------------|---|-------------------------------|---|------------------|---------|
| BODYCOTE THERMAL PROCESSING-LACONIA | 187 WATER ST LACONIA, NH 03305 | Kevin Cyrulik 603-524-7886 | Hardness Testing ----- ASTM E384 | 5/31/2025 | YES |
| BODYCOTE THERMAL PROCESSING-VERNON | 2900 SOUTH SUNOL DRIVE VERNON, CA 90058 | DAVE LOUCKS 323-264-0113 | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 2/28/2025 | YES |
| | | | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 2/28/2025 | YES |
| | | | HEAT TREAT OF LOW-ALLOY STEEL PARTS > 220 KSI ----- AMS 2759/2 | 2/28/2025 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 2/28/2025 | YES |
| | | | HEAT TREATMENT AUSTENITIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/4 | 2/28/2025 | YES |
| | | | HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 2/28/2025 | YES |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 2/28/2025 | YES |
| | | | HEAT TREATMENT OF TITANIUM ----- AMS-H-81200 | 2/28/2025 | YES |
| Bodycote West | 1009 S West Street Wichita, KS 67213 KS | 316-943-3288 | HEAT TREATMENT OF WROUGHT ALUMINUM ALLOY PARTS ----- AMS 2770 | 2/28/2026 | YES |
| BODYCOTE-MCLEAN | 1019 S. McLean Blvd Wichita, KS 67213 | 316-267-0239 | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 2/28/2026 | YES |
| | | | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 2/28/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|---|---|---|--|---|-------------------------------------|
| BODYCOTE-MCLEAN | 1019 S. McLean Blvd Wichita, KS 67213 | 316-267-0239 | HEAT TREAT OF LOW-ALLOY STEEL PARTS > 220 KSI ----- AMS 2759/2 | 2/28/2026 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 2/28/2026 | YES |
| | | | HEAT TREATMENT AUSTENITIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/4 | 2/28/2026 | YES |
| | | | HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 2/28/2026 | YES |
| | | | HEAT TREATMENT OF TITANIUM ALLOY PARTS ----- AMS 2801 | 2/28/2026 | YES |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 2/28/2026 | YES |
| | | | HEAT TREATMENT OF TITANIUM ----- AMS-H-81200 | 2/28/2026 | YES |
| | | | BOWMAN PLATING | 2631 EAST 126TH ST COMPTON, CA 90222 | QUALITY MANAGER 310-639-4343 |
| MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 11/30/2026 | YES | | | |
| BOWMAR LLC | 8000 BLUFFTON RD FORT WAYNE, IN 46809-3018 | 260 747-3121 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 5/31/2025 | YES |
| BRADDOCK METAL DAYTONA | 400 FENTRESS BLVD DAYTONA BEACH, FL 32114 | Ian Richards, QA Manager 386-267-0955 | GD-OTS Induction & Flame Hardening Reqmts ----- G02.797 | 5/20/2027 | NO |
| | | | CARBURIZING & HEAT TREAT OF CARB. GR. STEEL ----- AMS 2759/7 | 3/25/2025 | NO |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|---------------------------|---|---|--|------------------|---------|
| BRADDOCK METAL DAYTONA | 400 FENTRESS BLVD DAYTONA BEACH , FL 32114 | Ian Richards, QA Manager 386-267-0955 | Heat Treatment of Steel Raw Materials ----- AMS 2761 | 3/25/2025 | NO |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 3/25/2025 | NO |
| | | | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 2/6/2026 | NO |
| | | | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 2/6/2026 | NO |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 2/6/2026 | NO |
| | | | GAS NITRIDING AND HEAT TREATMENT OF LOW-ALLOY STEEL PARTS ----- AMS 2759/6 | 2/6/2026 | NO |
| BRADDOCK METALLURGICAL | 14600 DUVAL PLACE WEST JACKSONVILLE , FL 32218 | GORDON YOUNG/JEFF YOUNG 904-741-4777 | AMS 2750 Heat Treat ----- AMS 2750 | 2/28/2025 | YES |
| | | | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 2/28/2025 | YES |
| | | | HEAT TREAT OF LOW-ALLOY STEEL PARTS > 220 KSI ----- AMS 2759/2 | 2/28/2025 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 2/28/2025 | YES |
| | | | HEAT TREATMENT AUSTENITIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/4 | 2/28/2025 | YES |
| | | | HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 2/28/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|---------------------------------|--|--|---|------------------|---------|
| BRADDOCK METALLURGICAL | 14600 DUVAL PLACE WEST JACKSONVILLE, FL 32218 | GORDON YOUNG/JEFF YOUNG 904-741-4777 | GAS NITRIDING AND HEAT TREATMENT OF LOW-ALLOY STEEL PARTS ----- AMS 2759/6 | 2/28/2025 | YES |
| | | | CARBURIZING & HEAT TREAT OF CARB. GR. STEEL ----- AMS 2759/7 | 2/28/2025 | YES |
| | | | HEAT TREATMENT OF PARTS IN A VACUUM ----- AMS 2769 | 2/28/2025 | YES |
| | | | HEAT TREATMENT OF WROUGHT ALUMINUM ALLOY PARTS ----- AMS 2770 | 2/28/2025 | YES |
| | | | Heat Treatment of Aluminum Alloy Castings ----- AMS 2771 | 2/28/2025 | YES |
| | | | ALUMINUM HEAT TREAT OF RAW MATERIAL ----- AMS 2772 | 2/28/2025 | YES |
| | | | HEAT TREATMENT OF TITANIUM ALLOY PARTS ----- AMS 2801 | 2/28/2025 | YES |
| | | | HEAT TREATMENT OF ALUMINUM AND ALUMINUM ALLOYS ----- AMS-H-6088 | 2/28/2025 | YES |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 2/28/2025 | YES |
| | | | HEAT TREATMENT OF TITANIUM ----- AMS-H-81200 | 2/28/2025 | YES |
| | | | STANDARD TESTING FOR ROCKWELL HARDNESS ----- ASTM E18 | 2/28/2025 | YES |
| BRADDOCK METALLURGICAL, INC. | 123 CHIMNEY ROCK RD BRIDGEWATER, NJ 08807 | GENERAL MANAGER 732-356-2906 | HEAT TREATMENT OF TITANIUM ALLOY PARTS ----- AMS 2801 | 2/28/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|----------------------------|--|---|---|------------------|---------|
| BRYCOAT INC. | P.O. Box 1976 OLDSMAR , FL 34677 | Mike DeNovo, Quality Manager 727-490-1000 ext. 205 | COATING, TITANIUM NITRIDE PHYSICAL VAPOR DEPOSITION ----- AMS 2444A | 2/28/2025 | YES |
| BURBANK STEEL TREATING INC | 415 SOUTH VARNEY STREET BURBANK , CA 91502-2125 | OSCAR ORINSIO 818-842-0975 | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 5/31/2026 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 5/31/2026 | YES |
| BURTON INDUSTRIES | 243 WYANDANCH AVE N. BABYLON , NY 11704 | NANCY MASE 631-643-6660 | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 11/30/2026 | YES |
| | | | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 11/30/2026 | YES |
| | | | HEAT TREAT OF LOW-ALLOY STEEL PARTS > 220 KSI ----- AMS 2759/2 | 11/30/2026 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 11/30/2026 | YES |
| | | | HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 11/30/2026 | YES |
| | | | HEAT TREATMENT OF PARTS IN A VACUUM ----- AMS 2769 | 11/30/2026 | YES |
| | | | HEAT TREATMENT OF WROUGHT ALUMINUM ALLOY PARTS ----- AMS 2770 | 11/30/2026 | YES |
| | | | Heat Treatment of Aluminum Alloy Castings ----- AMS 2771 | 11/30/2026 | YES |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 11/30/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|-------------------------|--|---------------------------|--|------------------|---------|
| BURTON INDUSTRIES | 243 WYANDANCH AVE N BABYLON, NY 11704 | NANCY MASE | HEAT TREATMENT OF ALUMINUM ALLOYS ----- MIL-H-6088G | 11/30/2026 | YES |
| | | 631-643-6660 | | | |
| CENTRAL METAL FINISHING | 80 FLAGSHIP DRIVE NORTH ANDOVER, MA 01845 | PETER COX 978 685-4811 | CADMIUM PLATING ----- AMS 2400 | 8/31/2025 | YES |
| | | | Nickel Plating General Purpose Electrodeposited ----- AMS 2403 | 8/31/2025 | YES |
| | | | PLATING ELECTROLESS NICKEL ----- AMS 2404 | 8/31/2025 | YES |
| | | | Chromium Coating, Thin, Hard, Dense Deposit ----- AMS 2406 | 8/31/2025 | YES |
| | | | COPPER ELECTROPLATING ----- AMS 2418 | 8/31/2025 | YES |
| | | | Chromium Plating, Thin, Hard, Dense Deposit ----- AMS 2438 | 8/31/2025 | YES |
| | | | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 8/31/2025 | YES |
| | | | ELECTROLESS - NICKEL PLATING ----- AMS-C-26074 | 8/31/2025 | YES |
| | | | CHROMIUM PLATING ----- AMS-QQ-C-320 | 8/31/2025 | YES |
| | | | NICKEL PLATING ----- AMS-QQ-N-290 | 8/31/2025 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 8/31/2025 | YES |
| | | | CADMIUM ELECTROPLATING ----- AMS-QQ-P-416 | 8/31/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--|---|---------------------------|---|--|-------------------------------|
| CENTRAL METAL FINISHING | 80 FLAGSHIP DRIVE NORTH ANDOVER , MA 01845 | PETER COX 978 685-4811 | PASSIVATION ----- ASTM A380 | 8/31/2025 | YES |
| | | | CHEM PASSIVATION OF STAINLESS PARTS ----- ASTM A967 & A380 | 8/31/2025 | YES |
| | | | ASTM B 545 ELECTRODEPOSITED COATINGS OF TIN ----- ASTM B545 | 8/31/2025 | YES |
| | | | ELECTRODEPOSITED SILVER ----- ASTM B700 | 8/31/2025 | YES |
| | | | CHEMICAL CONVERSION COAT ON ALU ----- MIL-C-5541 | 8/31/2025 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 8/31/2025 | YES |
| | | | CERTIFIED METAL FINISHING | 1420 S.W. 28TH AVE. POMPANO BEACH , FL 33069-4811 | JANNIE HOWARD 954-979-0707 |
| PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 2/28/2026 | YES | | | |
| MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE I, CLASS 1 ----- MIL-A-8625 TYI CL1 | 2/28/2026 | YES | | | |
| MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE I, CLASS 2 ----- MIL-A-8625 TYI CL2 | 2/28/2026 | YES | | | |
| MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE IB, CLASS 1 ----- MIL-A-8625 TYIB CL1 | 2/28/2026 | YES | | | |
| MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE IB, CLASS 2 ----- MIL-A-8625 TYIB CL2 | 2/28/2026 | YES | | | |
| MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 1 ----- MIL-A-8625 TYII CL1 | 2/28/2026 | YES | | | |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|----------------------------|---|---------------------------------|--|------------------|---------|
| CERTIFIED METAL FINISHING | 1420 S.W. 28TH AVE. POMPANO BEACH, FL 33069-4811 | JANNIE HOWARD 954-979-0707 | MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 2 ----- MIL-A-8625 TYII CL2 | 2/28/2026 | YES |
| | | | MIL-A-8625 HARDCOAT - ALUM ANOD TYPE III, CLASS 1 ----- MIL-A-8625 TYIII CL1 | 2/28/2026 | YES |
| | | | MIL-A-8625 HARDCOAT - ALUM ANOD TYPE III, CLASS 2 ----- MIL-A-8625 TYIII CL2 | 2/28/2026 | YES |
| | | | ALUMINUM CHEMICAL FILM CLASS 3 ----- MIL-C-5541E | 2/28/2026 | YES |
| | | | ALUM CHEMICAL FILM TYPE I ----- MIL-DTL-5541 TYI | 2/28/2026 | YES |
| | | | ALUM CHEMICAL FILM TYPE II ----- MIL-DTL-5541 TYII | 2/28/2026 | YES |
| | | | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 11/30/2026 | YES |
| | | | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 11/30/2026 | YES |
| CERTIFIED METALCRAFT, INC. | 877 VERNON WAY EL CAJON, CA 92020 | QUALITY MANAGER 619-593-3636 | HEAT TREAT OF LOW-ALLOY STEEL PARTS > 220 KSI ----- AMS 2759/2 | 11/30/2026 | YES |
| | | | HEAT TREATMENT OF WROUGHT ALUMINUM ALLOY PARTS ----- AMS 2770 | 11/30/2026 | YES |
| | | | Heat Treatment of Aluminum Alloy Castings ----- AMS 2771 | 11/30/2026 | YES |
| | | | HEAT TREATMENT OF ALUMINUM AND ALUMINUM ALLOYS ----- AMS-H-6088 | 11/30/2026 | YES |
| | | | STANDARD TESTING FOR ROCKWELL HARDNESS ----- ASTM E18 | 11/30/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|---|---|--------------------------------------|---|------------------|---------|
| Certified Steel Treating Corp. | 2454 EAST 59TH STREET LOS ANGELES, CA 90508 | QUALITY MANAGER 323-583-8711 | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 5/31/2026 | YES |
| | | | HEAT TREAT OF LOW-ALLOY STEEL PARTS > 220 KSI ----- AMS 2759/2 | 5/31/2026 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 5/31/2026 | YES |
| CH THOMPSON FINISHING | 69-93 ELDREDGE STREET BINGHAMTON, NY 13901 | DAVE ARBES 607-724-1094 | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- MIL-A-8625 | 2/28/2025 | YES |
| | | | ALUM CHEMICAL FILM TYPE I ----- MIL-DTL-5541 TYI | 2/28/2025 | YES |
| | | | ALUM CHEMICAL FILM TYPE II ----- MIL-DTL-5541 TYII | 2/28/2025 | YES |
| Chem Processing Inc | 3910 Linden Oaks Drive Rockford, IL 61109-5552 | 815-874-8118 | PLATING ELECTROLESS NICKEL ----- AMS 2404 | 2/28/2026 | YES |
| | | | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 2/28/2026 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 2/28/2026 | YES |
| | | | CHEMICAL PASSIVATION OF STAINLESS STEEL PARTS ----- ASTM A967 | 2/28/2026 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 2/28/2026 | YES |
| CIL ELECTROPLATING (Formerly ADTEC Electroplating) | 125 GLENN ST LAWRENCE, MA 01843-1036 | DENNIS REIDY 978-685-8300 Ext 213 | COPPER ELECTROPLATING ----- AMS 2418 | 5/31/2026 | YES |
| | | | NICKEL PLATING ----- AMS-QQ-N-290 | 5/31/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|---|--|--------------------------------------|--|---|--------------------------------------|
| CIL ELECTROPLATING (Formerly ADTEC Electroplating) | 125 GLENN ST LAWRENCE , MA 01843-1036 | DENNIS REIDY 978-685-8300 Ext 213 | CADMIUM ELECTROPLATING ----- AMS-QQ-P-416 | 5/31/2026 | YES |
| | | | ZINC ELECTROPLATING ----- ASTM B633 | 5/31/2026 | YES |
| | | | ELECTRODEPOSITED SILVER ----- ASTM B700 | 5/31/2026 | YES |
| | | | Electroless Nickel - Phosphorus Coatings ----- ASTM B733 | 5/31/2026 | YES |
| | | | COPPER ELECTROPLATING ----- MIL-C-14550 | 5/31/2026 | YES |
| | | | ELECTROLESS NICKEL PLATING ----- MIL-C-26074 | 5/31/2026 | YES |
| | | | GOLD ELECTROPLATING ----- MIL-DTL-45204 | 5/31/2026 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 5/31/2026 | YES |
| | | | SILVER ELECTROPLATING ----- QQ-S-365 | 5/31/2026 | YES |
| | | | CIL INC | 400 CANAL STREET LAWRENCE , MA 01840 | Dennis Reidy 978-685-8300 Ext 213 |
| PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 5/31/2026 | YES | | | |
| CHEM PASSIVATION OF STAINLESS PARTS ----- ASTM A967 & A380 | 5/31/2026 | YES | | | |
| ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- MIL-A-8625 | 5/31/2026 | YES | | | |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|-----------------------------|---|--|--|------------------|---------|
| CIL INC | 400 CANAL STREET LAWRENCE , MA 01840 | Dennis Reidy 978-685-8300 Ext 213 | PHOSPHATE COATING ----- MIL-DTL-16232 | 5/31/2026 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 5/31/2026 | YES |
| Classic Metal Finishing Inc | 2500 W Argyle Street Jackson , MI 49202-1969 | 517-990-0011 | MIL-A-8625 HARDCOAT - ALUM ANOD TYPE III, CLASS 1 ----- MIL-A-8625 TYIII CL1 | 8/31/2026 | YES |
| CLEVELAND BLACK OXIDE | 11400 BROOKPARK ROAD CLEVELAND , OH 44130 | Brandy Ratliff (216) 861-4431 ext 107 | CL1 BLACK OXIDE, PN 2907656 ONLY ----- MIL-DTL-13924 PN | 8/26/2027 | NO |
| COASTLINE METAL FINISHING | 7061 PATTERSON DR GARDEN GROVE , CA 92841 | JUAN CADENAS 714-895-9099 | ELECTROLESS NICKEL PLATING ----- MIL-C-26074 | 11/30/2025 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 11/30/2025 | YES |
| COATING SYSTEMS, INC | Coating Systems Inc 90 Phoenix Ave Lowell , MA 01852-4981 | Dawn Melvin 978-937-3712 ext.313 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 8/31/2026 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- AMS-A-8625 | 8/31/2026 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 8/31/2026 | YES |
| | | | PASSIVATION ----- ASTM A380 | 8/31/2026 | YES |
| | | | CHEMICAL PASSIVATION OF STAINLESS STEEL PARTS ----- ASTM A967 | 8/31/2026 | YES |
| | | | Electroless Nickel - Phosphorus Coatings ----- ASTM B733 | 8/31/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|----------------------|--|-------------------------------------|--|------------------|---------|
| COATING SYSTEMS, INC | Coating Systems Inc 90 Phoenix Ave Phoenix, AZ 85027 | Dawn Melvin 978-937-3712 ext.313 | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 8/31/2026 | YES |
| COATING TECHNOLOGIES | 21438 NORTH 7TH AVE PHOENIX, AZ 85027 | SHERYL WITZKE 623-581-2648 | PLATING ELECTROLESS NICKEL ----- AMS 2404 | 2/28/2026 | YES |
| | | | CONVERSION COATINGS - STEEL ----- AMS 2485 | 2/28/2026 | YES |
| | | | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 2/28/2026 | YES |
| | | | ELECTROLESS - NICKEL PLATING ----- AMS-C-26074 | 2/28/2026 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 2/28/2026 | YES |
| | | | PASSIVATION ----- ASTM A380 | 2/28/2026 | YES |
| | | | CHEM PASSIVATION OF STAINLESS PARTS ----- ASTM A967 & A380 | 2/28/2026 | YES |
| | | | Electroless Nickel - Phosphorus Coatings ----- ASTM B733 | 2/28/2026 | YES |
| | | | CLASS 1, BLACK OXIDE ----- MIL-DTL-13924 CL 1 | 2/28/2026 | YES |
| | | | CLASS 4, BLACK OXIDE ----- MIL-DTL-13924 CL 4 | 2/28/2026 | YES |
| | | | PHOSPHATE COATING ----- MIL-DTL-16232 | 2/28/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|-------------------------------|---|---|--|------------------|---------|
| CONSOLIDATED INDUSTRIES, INC. | P.O. BOX 280 CHESHIRE, CT 06410 | TOM SLAUTA, DIR QA/Bijan Azemi, QA Mgr 203-272-5371 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 2/28/2026 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 2/28/2026 | YES |
| | | | AMS 2750 Heat Treat ----- AMS 2750 | 8/31/2026 | YES |
| | | | ALUMINUM HEAT TREAT OF RAW MATERIAL ----- AMS 2772 | 8/31/2026 | YES |
| | | | HEAT TREATMENT OF ALUMINUM AND ALUMINUM ALLOYS ----- AMS-H-6088 | 8/31/2026 | YES |
| | | | HEAT TREATMENT OF TITANIUM ----- AMS-H-81200 | 8/31/2026 | YES |
| | | | STANDARD TESTING FOR ROCKWELL HARDNESS ----- ASTM E18 | 8/31/2026 | YES |
| CONTINENTAL HEAT TREATING | 10643 S. NORWALK BLVD. SANTA FE SPRING, CA 90670 | DON LOWMAN 562-944-8808 | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 5/30/2025 | YES |
| | | | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 5/30/2025 | YES |
| | | | HEAT TREAT OF LOW-ALLOY STEEL PARTS > 220 KSI ----- AMS 2759/2 | 5/30/2025 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 5/30/2025 | YES |
| | | | HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 5/30/2025 | YES |
| | | | GAS NITRIDING AND HEAT TREATMENT OF LOW-ALLOY STEEL PARTS ----- AMS 2759/6 | 5/30/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|---------------------------|--|-------------------------------|---|------------------|---------|
| CONTINENTAL HEAT TREATING | 10643 S. NORWALK BLVD. SANTA FE SPRING , CA 90670 | DON LOWMAN 562-944-8808 | CARBURIZING & HEAT TREAT OF CARB. GR. STEEL ----- AMS 2759/7 | 5/30/2025 | YES |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 5/30/2025 | YES |
| | | | HEAT TREATMENT OF STEEL CLASS A ----- AMS-H-6875 A | 5/30/2025 | YES |
| | | | HEAT TREATMENT OF STEEL CLASS B ----- AMS-H-6875 B | 5/30/2025 | YES |
| | | | HEAT TREATMENT OF STEEL CLASS C ----- AMS-H-6875 C | 5/30/2025 | YES |
| | | | HEAT TREATMENT OF STEEL CLASS D ----- AMS-H-6875 D | 5/30/2025 | YES |
| COOPERATIVE PLATING CO. | 1605 Iglehart Ave. ST PAUL , MN 55104-5327 | Dawne Johnson 651-645-0787 | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- AMS-A-8625 | 8/31/2026 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 8/31/2026 | YES |
| | | | CADMIUM ELECTROPLATING ----- AMS-QQ-P-416 | 8/31/2026 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- MIL-A-8625 | 8/31/2026 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 8/31/2026 | YES |
| | | | CADMIUM ELECTROPLATING ----- QQ-P-416 | 8/31/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|----------------------------------|---|----------------------------------|--|------------------|---------|
| COTEC CORPORATION | 826, Ungnam-ro, Seongsan-gu Changwon-si, Gyeongsangnam-do , South Korea | YOUNG-CHUL CHA 82-55-295-9695 | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 2/28/2026 | YES |
| CPP CORPORATION (PAC-Rancho) | 11000 JERSEY BLVD RANCHO CUCAMONGA , CA 91730 | ELFY MARQUEZ 909-922-6427 | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 2/28/2026 | YES |
| | | | In-process Welding of Castings (Naval Sea Systems) ----- 5191378 | 8/31/2026 | YES |
| | | | In-Process Welding of Castings ----- A10318 | 8/31/2026 | YES |
| | | | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 2/28/2026 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 2/28/2026 | YES |
| | | | RADIOGRAPHIC INSPECTION ----- ASTM E1742 | 2/28/2026 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 2/28/2025 | YES |
| | | | Heat Treatment of Aluminum Alloy Castings ----- AMS 2771 | 2/28/2025 | YES |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 2/28/2025 | YES |
| CPP CORPORATION- PORT HUENEME | 705 INDUSTRIAL AVENUE PORT HUENEME , CA 93041 | Conny Ortiz (805) 437-4623 | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 6/3/2026 | NO |
| | | | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 6/3/2026 | NO |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|----------------------------------|--|-------------------------------|---|------------------|---------|
| CPP CORPORATION- PORT HUENEME | 705 INDUSTRIAL AVENUE PORT HUENEME , CA 93041 | Conny Ortiz (805) 437-4623 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 2/28/2025 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 2/28/2025 | YES |
| | | | RADIOGRAPHIC INSPECTION ----- ASTM E1742-95 | 2/28/2025 | YES |
| | | | In-Process Welding of Castings ----- A10318 | 8/31/2026 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 2/28/2025 | YES |
| | | | HEAT TREATMENT AUSTENITIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/4 | 2/28/2025 | YES |
| | | | HEAT TREATMENT OF PARTS IN A VACUUM ----- AMS 2769 | 2/28/2025 | YES |
| | | | Heat Treatment of Aluminum Alloy Castings ----- AMS 2771 | 2/28/2025 | YES |
| | | | HEAT TREATMENT OF ALUMINUM AND ALUMINUM ALLOYS ----- AMS-H-6088 | 2/28/2025 | YES |
| | | | HEAT TREATMENT OF STEEL CLASS D ----- AMS-H-6875 D | 2/28/2025 | YES |
| | | | STANDARD TESTING FOR ROCKWELL HARDNESS ----- ASTM E18 | 2/28/2025 | YES |
| CPP-STEEL TREATERS INC | 100 FURNACE STREET ORISKANY , NY 13424 | CARL BRAIT 315-736-3081 | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 5/31/2026 | YES |
| | | | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 5/31/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--|---|--------------------------------|---|------------------|---------|
| CPP-STEEL TREATERS INC | 100 FURNACE STREET ORISKANY, NY 13424 | CARL BRAIT 315-736-3081 | HEAT TREAT OF LOW-ALLOY STEEL PARTS > 220 KSI ----- AMS 2759/2 | 5/31/2026 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 5/31/2026 | YES |
| | | | HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 5/31/2026 | YES |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 5/31/2026 | YES |
| | | | HEAT TREATMENT OF STEEL CLASS A ----- AMS-H-6875 A | 5/31/2026 | YES |
| | | | HEAT TREATMENT OF STEEL CLASS B ----- AMS-H-6875 B | 5/31/2026 | YES |
| | | | HEAT TREATMENT OF STEEL CLASS C ----- AMS-H-6875 C | 5/31/2026 | YES |
| | | | HEAT TREATMENT OF STEEL CLASS D ----- AMS-H-6875 D | 5/31/2026 | YES |
| CURTISS-WRIGHT CORP - METAL IMPROVEMENT CO - WINDSOR | 145 ADDISON RD WINDSOR, CT 06095-2102 | 860 688-6201 | SHOT PEENING ----- MIL-S-13165 | 8/31/2025 | YES |
| CURTISS-WRIGHT SURFACE TECHNOLOGIES (FKA METAL IMPROVEMENT CO) | P.O. BOX 487 - 145 ADDISON RD. WINDSOR, CT 06095 | TAMMY NAEGELEN 860-688-6201 | SHOT PEENING ----- MIL-S-13165 | 8/31/2025 | YES |
| CUSTOM GROUP, INC. DBA CUSTOM MACHINE, LLC | 30 NASHUA STREET WOBURN, MA 01801-4665 MA | 781-935-4940 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 8/31/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--|---|---|--|------------------|---------|
| CUSTOM GROUP, INC. DBA CUSTOM MACHINE, LLC | 30 NASHUA STREET WOBURN, MA 01891-1605 | 781-935-4940 | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 8/31/2026 | YES |
| D & G MACHINE PRODUCTS, INC. | 50 EISENHOWER DRIVE WESTBROOK, ME 04092-2009 | BRYANT OJA, QC MANAGER/COLIN CANNING, 207-854-1500 | LIQUID PENETRANT INSP. TYI PN 10093854 ONLY ----- ASTM E1417 PN ONLY | 10/3/2027 | NO |
| DANKO ARLINGTON, INC. | 4800 E. WABASH AVENUE BALTIMORE, MD 21215 | John Danko 410-664-8930 | In-Process Welding of Castings ----- A10318 | 5/28/2027 | NO |
| | | | Structural Welding Code for Aluminum ----- AWS D1.2 | 5/28/2027 | NO |
| | | | Structural Welding Code for Aluminum PN 2907672-100H2 ONLY ----- AWS D1.2 PART # ONLY | 5/28/2027 | NO |
| | | | Structural Welding Code for Aluminum PN 5204599-100H5-PTL ONLY ----- AWS D1.2 PN ONLY | 5/28/2027 | NO |
| | | | FUSION WELDING FOR AEROSPACE ----- AWS-D-17.1 | 5/28/2027 | NO |
| | | | FUSION WELDING PN 2907672-100H2 ONLY ----- AWS-D17.1 PN 2907672 | 5/28/2027 | NO |
| | | | FUSION WELDING PN 5204599-100H5-PTL ONLY ----- AWS-D17.1 PN 5204599 | 5/28/2027 | NO |
| | | | Heat Treatment of Aluminum Alloy Castings ----- AMS 2771 | 4/16/2025 | NO |
| | | | LIQUID PENETRANT INSP., TYPE I ----- ASTM E1417 TYPE 1 | 4/16/2025 | NO |
| | | | RADIOGRAPHIC INSPECTION ----- ASTM E1742 | 4/16/2025 | NO |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--|---|------------------------------------|--|------------------|---------|
| DAN-S CERTIFIED WELDING SERVICES | 9830 EVEREST STREET DOWNEY , CA 90247 | JENNIFER JARAMILLO 562-803-1554 | FUSION WELDING ----- MIL-STD-2219 FUSION | 11/30/2025 | YES |
| DAV-TECH | 40 CEDAR HILL RD MARLBOROUGH , MA 01752 | TONY D'AMATO 508-485-8472 | ALUM CHEMICAL FILM TYPE II, CLASS 1A ----- MIL-DTL-5541 TY2CL1A | 6/4/2025 | NO |
| | | | ALUM CHEMICAL FILM TYPE I, CLASS 1A ----- MIL-DTL-5541 TYICL1A | 6/4/2025 | NO |
| DCI Aerotech, Div of Detroit Chrome Inc. | 7515 Lyndon Avenue Detroit , MI 48238 | 313-341-9478 | CONVERSION COATINGS - STEEL ----- AMS 2485 | 2/28/2025 | YES |
| | | | PHOSPHATE COATING ----- MIL-DTL-16232 | 2/28/2025 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 5/31/2025 | YES |
| Dickson Testing Co Inc. | 11126 Palmer Ave South Gate , CA 90280 | Phone: 562-862-8378 | Standard Test Methods/Tension Testing of Metallic Matlerials ----- ASTM E8 | 11/30/2026 | YES |
| Dicronite Southwest | 1495 West 9th Street Upland , CA 91786 | 909-982-5100 | Dry Film Lubricant Coating ----- AMS 2530 | 5/31/2025 | NO |
| DIFRUSCIA INDUSTRIES, INC. | 1425 Cranston Street CRANSTON , RI 02920 | 401-943-9000 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 2/28/2025 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 2/28/2025 | YES |
| | | | PASSIVATION ----- ASTM A380 | 2/28/2025 | YES |
| | | | CHEMICAL PASSIVATION OF STAINLESS STEEL PARTS ----- ASTM A967 | 2/28/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|-------------------------------|---|---|--|------------------|---------|
| DIFRUSCIA INDUSTRIES, INC. | 1425 Cranston Street CRANSTON , RI 02920 | 401-943-9000 | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- MIL-A-8625 | 2/28/2025 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 2/28/2025 | YES |
| | | | Chemical Conversion Materials for Coating Aluminum and Aluminum Alloys ----- MIL-DTL-81706 | 2/28/2025 | YES |
| | | | Primer Coatings: Epoxy, High-Solids ----- MIL-PRF-23377 | 2/28/2025 | YES |
| DIRATS & COMPANY, INC. | P.O. BOX 39 WESTFIELD , MA 01086-0039 | 413-568-1571 | Standard Test Method for Brinell Hardness- Metallic Material ----- ASTM E10 | 2/28/2025 | YES |
| | | | STANDARD TESTING FOR ROCKWELL HARDNESS ----- ASTM E18 | 2/28/2025 | YES |
| | | | Standard Test Methods/Tension Testing of Metallic Materials ----- ASTM E8 | 2/28/2025 | YES |
| DUCOMMUN LABARGE TECHNOLOGIES | P.O. BOX 1259 HUNTSVILLE , AR 72740 | TAMMY MOORE, Ext 244/ CHERRA DICKARD 479-737-1211 | ELECTROSTATIC DISCHARGE CONTROL ----- ANSI/ESD S20.20 | 11/28/2025 | NO |
| DYNACHROME | 50 PARKER ST NEWBURYPORT , MA 01950 | DAVID FERRAIRO, SR 978-499-8950 | Chromium Coating, Thin, Hard, Dense Deposit ----- AMS 2406 | 2/28/2026 | YES |
| | | | CHROMIUM PLATING ----- AMS-QQ-C-320 | 2/28/2026 | YES |
| Dynamic Metals LLC | 54347 Highland Blvd. Elkhart , IN 46514 | Dave Ironside 574-295-5525 | FUSION WELDING FOR AEROSPACE ----- A10458 AWS D17.1 | 5/31/2026 | YES |
| | | | FUSION WELDING ----- MIL-STD-2219 FUSION | 5/31/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|------------------------------------|---|--|---|------------------|---------|
| E.C. SUMEREAU & SONS | 290 BROADWAY HUNTINGDON STATION , NY 11746 | Ryan Vaglica 631-423-5256 | PLATING ELECTROLESS NICKEL ----- AMS 2404 | 2/28/2025 | YES |
| | | | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 2/28/2025 | YES |
| | | | ELECTROLESS - NICKEL PLATING ----- AMS-C-26074 | 2/28/2025 | YES |
| | | | CHEMICAL PASSIVATION OF STAINLESS STEEL PARTS ----- ASTM A967 | 2/28/2025 | YES |
| | | | ALUM CHEMICAL FILM TYPE I ----- MIL-DTL-5541 TYI | 2/28/2025 | YES |
| | | | ALUM CHEMICAL FILM TYPE II ----- MIL-DTL-5541 TYII | 2/28/2025 | YES |
| | | | ANODIC COATINGS AL & AL ALLOY TYPE II CLASS 1 ----- MIL-PRF-8625 TYII C1 | 2/28/2025 | YES |
| | | | ANODIC COATINGS AL & AL ALLOY TYPE II, CLASS 2 ----- MIL-PRF-8625 TYII C2 | 2/28/2025 | YES |
| East Carolina Metal Treating, Inc. | 1117 Capital Blvd. Raleigh , NC 27603 | Abdul Admani, Quality Director 919-834-2100 | GD-OTS Induction & Flame Hardening Reqmts ----- G02.797 | 8/20/2027 | NO |
| | | | HEAT TREATMENT OF WROUGHT COPPER BERYLLIUM ALLOY PARTS ----- AMS 2728 | 11/30/2025 | YES |
| | | | NITROCARBURIZING, NON-CYANIDE BATH ----- AMS 2753 | 11/30/2025 | YES |
| | | | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 11/30/2025 | YES |
| | | | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 11/30/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|------------------------------------|---|--|---|------------------|---------|
| East Carolina Metal Treating, Inc. | 1117 Capital Blvd. Raleigh, NC 27603 | Abdul Admani, Quality Director 919-834-2100 | HEAT TREAT OF LOW-ALLOY STEEL PARTS > 220 KSI ----- AMS 2759/2 | 11/30/2025 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 11/30/2025 | YES |
| | | | HEAT TREATMENT AUSTENITIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/4 | 11/30/2025 | YES |
| | | | HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 11/30/2025 | YES |
| | | | GAS NITRIDING AND HEAT TREATMENT OF LOW-ALLOY STEEL PARTS ----- AMS 2759/6 | 11/30/2025 | YES |
| | | | CARBURIZING & HEAT TREAT OF CARB. GR. STEEL ----- AMS 2759/7 | 11/30/2025 | YES |
| | | | CARBURIZING CARBON & LOW ALLOY STEELS ----- AMS 2762 | 11/30/2025 | YES |
| | | | HEAT TREATMENT OF PARTS IN A VACUUM ----- AMS 2769 | 11/30/2025 | YES |
| | | | HEAT TREATMENT OF WROUGHT ALUMINUM ALLOY PARTS ----- AMS 2770 | 11/30/2025 | YES |
| | | | ALUMINUM HEAT TREAT OF RAW MATERIAL ----- AMS 2772 | 11/30/2025 | YES |
| | | | Heat Treatment Wrought Nickel and Cobalt Alloy Parts ----- AMS 2774 | 11/30/2025 | YES |
| | | | HEAT TREATMENT OF TITANIUM ALLOY PARTS ----- AMS 2801 | 11/30/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|------------------------------------|---|--|---|------------------|---------|
| East Carolina Metal Treating, Inc. | 1117 Capital Blvd. Raleigh, NC 27603 | Abdul Admani, Quality Director 919-834-2100 | Vacuum Induction Corrosion Resistant Steel ----- AMS 5629 | 11/30/2025 | YES |
| | | | Vacuum Induction Nickel Alloy ----- AMS 5663 | 11/30/2025 | YES |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 11/30/2025 | YES |
| | | | Heat Treatment of Wrought Copper-Beryllium Alloys, Process ----- AMS-H-7199 | 11/30/2025 | YES |
| | | | HEAT TREATMENT OF TITANIUM ----- AMS-H-81200 | 11/30/2025 | YES |
| EASTERN PLATING COMPANY | 7803 PULASKI HIGHWAY BALTIMORE, MD 21267 | 410-382-4500 | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- MIL-A-8625 | 2/28/2025 | YES |
| | | | CHEMICAL CONVERSION COAT ON ALU ----- MIL-C-5541 | 2/28/2025 | YES |
| ELECTROPLATING INDUSTRIES (EPI) | 21410 CARLO DR CLINTON TOWNSHIP, MI 48038-1512 | Andre Danner 586-469-2390 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 3/27/2026 | NO |
| ELEMENT CLEVELAND | 5405 E Schaaf Rd Cleveland, OH 44131 | 216-524-1450 | Standard Test Method for Brinell Hardness- Metallic Material ----- ASTM E10 | 11/30/2024 | YES |
| | | | STANDARD TESTING FOR ROCKWELL HARDNESS ----- ASTM E18 | 11/30/2024 | YES |
| | | | Standard Test Methods/Tension Testing of Metallic Materials ----- ASTM E8 | 11/30/2024 | YES |
| | | | Compression Testing of Metallic Materials ----- ASTM E9 | 11/30/2024 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--|--|------------------------------|--|------------------|---------|
| ELEMENT MATERIALS TECHNOLOGY - HB | ELEMENT HUNTINGTON BEACH 15062 BOLSA CHICA HUNTINGTON BEACH , CA 92649 | 714-892-1961 | Metals Testing Cert 0093.01 ----- ISO/IEC 17025 CHEM | 5/31/2026 | YES |
| | | | Metals Testing Cert 0093.02 ----- ISO/IEC 17025 MECH | 5/31/2026 | YES |
| | | | Tensile Testing ----- AC7101/11 (NADCAP) | 2/28/2026 | YES |
| | | | Electrical Conductivity using Eddy Current Method ----- ASTM E1004 | 2/28/2026 | YES |
| | | | Standard Test Methods/Tension Testing of Metallic Matlerials ----- ASTM E8 | 2/28/2026 | YES |
| | | | Exfoliation Corrosion Testing ----- ASTM G34 | 2/28/2026 | YES |
| | | | C-Ring Stress-Corrosion Test Specimens ----- ASTM G38 | 2/28/2026 | YES |
| | | | Alternate Immersion Stress Testing ----- ASTM G44 | 2/28/2026 | YES |
| | | | Standard Corrosion Test Specimens ----- ASTM G49 | 2/28/2026 | YES |
| | | | Eddy Current Method -Aluminum alloys ----- MIL-STD-1537 | 2/28/2026 | YES |
| Element Materials Technology Hartford Inc. | FORMERLY METALS TESTING CO 80 KIMBERLY DR / PO BOX 213 SO WINDSOR , CT 06074 | MARK FLEMING 860-289-8225 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 11/30/2025 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 11/30/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|---|--|--------------------------------------|--|------------------|---------|
| ELEMENT MATERIALS TECHNOLOGY PORTLAND- MILWAUKIE | 4949 SE Johnson Creek Blvd Portland , OR 97222 | 503-771-5977 | COMBUSTION TESTING ----- ASTM E1019 | 2/28/2026 | YES |
| | | | STANDARD TESTING USING OPTICAL EMISSION SPECTROSCOPY ----- ASTM E1086 | 2/28/2026 | YES |
| | | | STANDARD TESTING FOR ROCKWELL HARDNESS ----- ASTM E18 | 2/28/2026 | YES |
| | | | X-Ray Testing of Stainless Steel & Alloy Steel ----- ASTM E572 | 2/28/2026 | YES |
| | | | Standard Test Methods/Tension Testing of Metallic Matlerials ----- ASTM E8 | 2/28/2026 | YES |
| ELEMENT MATERIALS TESTING TECHNOLOGY | 18100 SO. WILMINGTON AVE. RANCHO DOMINGUEZ , CA 90220 | MIKE CAMPBELL / MARK 310-632-8500 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 8/31/2025 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 8/31/2025 | YES |
| | | | PASSIVATION ----- ASTM A380 | 8/31/2025 | YES |
| | | | CHEMICAL PASSIVATION OF STAINLESS STEEL PARTS ----- ASTM A967 | 8/31/2025 | YES |
| | | | Standard Practice for Ultrasonic Insp of Aluminum-Alloy Prod ----- ASTM B594 | 12/31/2024 | YES |
| | | | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 12/31/2024 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 12/31/2024 | YES |
| | | | RADIOGRAPHIC INSPECTION ----- ASTM E1742-00 | 12/31/2024 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|------------------------------|---|---------------------------------|---|------------------|---------|
| Element Middleburg Heights | 6840 LAKE ABRAM DR MIDDLEBURG , OH 44130 | QA MANAGER 440-243-3311 | Ultrasonic Testing ----- AMS 2154 | 11/30/2026 | YES |
| | | | Ultrasonic Staight-Beam Examination of Steel Plates ----- ASTM A435/A435M | 11/30/2026 | YES |
| | | | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 11/30/2026 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 11/30/2026 | YES |
| ELEMENT ST. PAUL | ELEMENT MATERIALS TECHNOLOGY 662 CROMWELL AVENUE SAINT PAUL , MN 55114-1720 | 651-645-3601 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 8/31/2026 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 8/31/2026 | YES |
| | | | RADIOGRAPHIC INSPECTION ----- ASTM E1742 | 8/31/2026 | YES |
| ELLWOOD TEXAS FORGE NAVASOTA | 10908 COUNTY ROAD 419 NAVASOTA , TX 77868 | JOHNNY WISNOSKI 936-870-9022 | FUSION WELDING FOR AEROSPACE ----- A10458 AWS D17.1 | 9/4/2027 | NO |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 8/31/2025 | YES |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 11/30/2025 | YES |
| | | | Standard Test Method for Brinell Hardness- Metallic Material ----- ASTM E10 | 11/30/2025 | YES |
| Embee Processing, Inc. | 2136 S HATHAWAY SANTA ANA , CA 92705 | JIM GREIVES 714-546-9842 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 2/28/2026 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 2/28/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|------------------------|---|-----------------------------|--|------------------|---------|
| Embee Processing, Inc. | 2136 S HATHAWAY SANTA ANA , CA 92705 | JIM GREIVES 714-546-9842 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 2/28/2025 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 2/28/2025 | YES |
| | | | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE I, CLASS 1 ----- MIL-A-8625 TYI CL1 | 2/28/2025 | YES |
| | | | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE I, CLASS 2 ----- MIL-A-8625 TYI CL2 | 2/28/2025 | YES |
| | | | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE IB, CLASS 1 ----- MIL-A-8625 TYIB CL1 | 2/28/2025 | YES |
| | | | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE IB, CLASS 2 ----- MIL-A-8625 TYIB CL2 | 2/28/2025 | YES |
| | | | MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 1 ----- MIL-A-8625 TYII CL1 | 2/28/2025 | YES |
| | | | MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 2 ----- MIL-A-8625 TYII CL2 | 2/28/2025 | YES |
| | | | MIL-A-8625 HARDCOAT - ALUM ANOD TYPE III, CLASS 1 ----- MIL-A-8625 TYIII CL1 | 2/28/2025 | YES |
| | | | MIL-A-8625 HARDCOAT - ALUM ANOD TYPE III, CLASS 2 ----- MIL-A-8625 TYIII CL2 | 2/28/2025 | YES |
| | | | ELECTROLESS NICKEL PLATING ----- MIL-C-26074 | 2/28/2025 | YES |
| | | | PHOSPHATE COATING ----- MIL-DTL-16232 | 2/28/2025 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 2/28/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|-------------------------------|---|---------------------------------------|--|------------------|---------|
| Embee Processing, Inc. | 2136 S HATHAWAY SANTA ANA, CA 92705 | JIM GREIVES 714-546-9842 | ALUM CHEMICAL FILM TYPE II ----- MIL-DTL-5541 TYII | 2/28/2025 | YES |
| ENDICOTT PRECISION INC. | 1328-30 CAMPVILLE ROAD ENDICOTT, NY 13760 | John Widdall 607 754-7076 ext. 152 | WELDING ALUM & MAG ALLOYS GP 1, CL A ----- AMS-W-6858 GR1 CLA | 7/11/2027 | NO |
| | | | WELDING ALUM & MAG ALLOYS GP 1, CL B ----- AMS-W-6858 GR1 CLB | 7/11/2027 | NO |
| | | | WELDING ALUM & MAG ALLOYS GP 1, CL C ----- AMS-W-6858 GR1 CLC | 7/11/2027 | NO |
| | | | WELDING NICKEL & STAINLESS GP 2, CL C ----- AMS-W-6858 GR2 CLC | 7/11/2027 | NO |
| | | | RESISTANCE WELDING, CLASS B ----- AWS D17.2 CLASS B | 7/11/2027 | NO |
| | | | RESISTANCE WELDING, CLASS C ----- AWS D17.2 CLASS C | 7/11/2027 | NO |
| | | | FUSION WELDING FOR AEROSPACE ----- A10458 AWS D17.1 | 11/30/2025 | YES |
| | | | FUSION WELDING FOR AEROSPACE ----- AWS-D-17.1 | 11/30/2025 | YES |
| | | | AWS D1.6 - D17.1 SS STRUCTURAL WELDING ----- A10458 AWS D1.6 - D1 | 11/10/2026 | NO |
| | | | SPECIFICATIONS FOR WELDING, ALUMINUM, and ALUMINUM ALLOY ----- MIL-W-22248A | 11/30/2025 | YES |
| Engineered Heat Treat Inc. | 31271 Stephenson Highway MADISON HEIGHTS, MI 48071 | (248) 588-5141 | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 11/30/2026 | YES |
| | | | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 11/30/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|-----------------------------|--|-----------------|---|------------------|---------|
| Engineered Heat Treat Inc. | 31271 Stephenson Highway MADISON HEIGHTS , MI 48071 | (248) 588-5141 | Automated Gaseous Nitriding Controlled by Nitriding Potential ----- AMS 2759/10 | 11/30/2026 | YES |
| | | | Stress Relief of Steel Parts ----- AMS 2759/11 | 11/30/2026 | YES |
| | | | HEAT TREAT OF LOW-ALLOY STEEL PARTS > 220 KSI ----- AMS 2759/2 | 11/30/2026 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 11/30/2026 | YES |
| | | | HEAT TREATMENT AUSTENITIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/4 | 11/30/2026 | YES |
| | | | HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 11/30/2026 | YES |
| | | | GAS NITRIDING AND HEAT TREATMENT OF LOW-ALLOY STEEL PARTS ----- AMS 2759/6 | 11/30/2026 | YES |
| | | | CARBURIZING & HEAT TREAT OF CARB. GR. STEEL ----- AMS 2759/7 | 11/30/2026 | YES |
| EVANS Heat Treating Company | 360 Red Lion Rd Huntingdon Valley , PA 19006 | 215-938-8791 | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 2/28/2025 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 2/28/2025 | YES |
| | | | STANDARD TESTING FOR ROCKWELL HARDNESS ----- ASTM E18 | 2/28/2025 | YES |
| FAXON MACHINING INC. | 11101 ADWOOD DRIVE CINCINNATI , OH 45240 | 513 851-4644 | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 5/31/2025 | NO |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|----------------------------------|---|-----------------------------------|--|------------------|---------|
| FINE QUALITY METAL FINISHING INC | 1640 DAISY AVE LONG BEACH, CA 90813 | Raymond Esfandi (562) 432-2248 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 2/28/2025 | YES |
| | | | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 11/10/2025 | NO |
| FLAME METALS PROCESSING CORP | 12450 IRONWOOD CIRCLE ROGERS, MN 55374 | Tom Vaudrin 763-428-2596 | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 11/10/2025 | NO |
| | | | PLATING ELECTROLESS NICKEL ----- AMS 2404 | 11/30/2026 | YES |
| FM CALLAHAN | 22 SHARON STREET MALDEN, MA 02148 | KEVIN REYNOLDS 781-324-5101 | COPPER ELECTROPLATING ----- AMS 2418 | 11/30/2026 | YES |
| | | | NICKEL PLATING ----- AMS-QQ-N-290 | 11/30/2026 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 11/30/2026 | YES |
| | | | ELECTRODEPOSITED SILVER ----- ASTM B700 | 11/30/2026 | YES |
| | | | MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 1 ----- MIL-A-8625 TYII CL1 | 11/30/2026 | YES |
| | | | MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 2 ----- MIL-A-8625 TYII CL2 | 11/30/2026 | YES |
| | | | ELECTROLESS NICKEL PLATING ----- MIL-C-26074 | 11/30/2026 | YES |
| | | | CLASS 1, BLACK OXIDE ----- MIL-DTL-13924 CL 1 | 11/30/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|------------------------|--|--|--|------------------|---------|
| FM CALLAHAN | 22 SHARON STREET MALDEN, MA 02148 | KEVIN REYNOLDS 781-324-5101 | ALUM CHEMICAL FILM TYPE I ----- MIL-DTL-5541 TYI | 11/30/2026 | YES |
| | | | ALUM CHEMICAL FILM TYPE II ----- MIL-DTL-5541 TYII | 11/30/2026 | YES |
| FOUNTAIN PLATING CO | 492 PROSPECT AVENUE W SPRINGFIELD, MA 01089 | JOE TURNBULL, QUALITY MGR 413-781-4651 | PLATING ELECTROLESS NICKEL ----- AMS 2404 | 5/31/2026 | YES |
| | | | Chromium Coating, Thin, Hard, Dense Deposit ----- AMS 2406 | 5/31/2026 | YES |
| | | | CONVERSION COATING TITANIUM ----- AMS 2486 | 5/31/2026 | YES |
| | | | Anodizing Titanium and Titanium Alloys Solution ph 13 or > ----- AMS 2488 | 5/31/2026 | YES |
| | | | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 5/31/2026 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- AMS-A-8625 | 5/31/2026 | YES |
| | | | CHROMIUM PLATING ----- AMS-QQ-C-320 | 5/31/2026 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 5/31/2026 | YES |
| | | | Electroless Nickel - Phosphorus Coatings ----- ASTM B733 | 5/31/2026 | YES |
| | | | Standard Guide for Prep of Metal Surfaces for Adhesive Bond ----- ASTM D2651 | 5/31/2026 | YES |
| | | | PHOSPHORIC ACID ANODIZING ----- ASTM D3933-98 | 5/31/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|-------------------------|--|--|---|------------------|---------|
| FOUNTAIN PLATING CO | 492 PROSPECT AVENUE W SPRINGFIELD , MA 01089 | JOE TURNBULL, QUALITY MGR 413-781-4651 | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- MIL-A-8625 | 5/31/2026 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 5/31/2026 | YES |
| | | | Primer Coatings: Epoxy, High-Solids ----- MIL-PRF-23377 | 5/31/2026 | YES |
| | | | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 2/28/2025 | YES |
| FPM HEAT TREATING | 1501 S LIVELY BLVD ELK GROVE VILLA , IL 60007 | DOUGLAS GRAHAM 847-228-2525 | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 8/31/2025 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 8/31/2025 | YES |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 8/31/2025 | YES |
| FREEDOM METAL FINISHING | FORMERLY DIXIE PLATING CLEARWATER , FL 34620 | QA MANAGER 727-573-2464 | PLATING ELECTROLESS NICKEL ----- AMS 2404 | 2/28/2025 | YES |
| | | | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 2/28/2025 | YES |
| | | | ELECTROLESS - NICKEL PLATING ----- AMS-C-26074 | 2/28/2025 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 2/28/2025 | YES |
| | | | CHEM PASSIVATION OF STAINLESS PARTS ----- ASTM A967 & A380 | 2/28/2025 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- MIL-A-8625 | 2/28/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--------------------------|---|---|--|------------------|---------|
| FREEDOM METAL FINISHING | FORMERLY DIXIE PLATING CLEARWATER , FL 34620 | QA MANAGER 727-573-2464 | NICKEL ELECTROPLATING ----- QQ-N-290 | 2/28/2025 | YES |
| | | | CADMIUM ELECTROPLATING ----- QQ-P-416 | 2/28/2025 | YES |
| FRONTIER GROUP, INC | 2210 Tree Farm Ln Chino Valley , AZ 86323 | 928-636-0130 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 12/31/2024 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 12/31/2024 | YES |
| | | | PHOSPHATE COATING ----- MIL-DTL-16232 | 12/31/2024 | YES |
| G W LISK CO., INC. | 2 SOUTH STREET CLIFTON SPRINGS , NY 14432 | JOE MROZ, QA MANAGER 315-462-2611 | PLATING ELECTROLESS NICKEL CLASS 1 ----- AMS 2404 CLASS 1 | 2/28/2026 | YES |
| | | | PLATING ELECTROLESS NICKEL CLASS 2 ----- AMS 2404 CLASS 2 | 2/28/2026 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 2/28/2026 | YES |
| GENERAL METAL HEAT TREAT | 941 ADDISON ROAD CLEVELAND , OH 44103-1609 | DEBORAH DOUGHERTY 216-391-0886 | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 11/30/2025 | YES |
| | | | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 11/30/2025 | YES |
| | | | HEAT TREAT OF LOW-ALLOY STEEL PARTS > 220 KSI ----- AMS 2759/2 | 11/30/2025 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 11/30/2025 | YES |
| | | | HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 11/30/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|----------------------|---|---|--|------------------|---------|
| GENERAL TOOL COMPANY | 101 LANDY LANE CINCINNATI, OH 45215-3495 | JIM STEWART, QMGR / BRAD BOWER 513-733-5500 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 8/31/2025 | YES |
| | | | RADIOGRAPHIC INSPECTION ----- ASTM E1742 | 8/31/2025 | YES |
| | | | AWS D1.1 - D17.1 STEEL STRUCTURAL WELDING ----- A10458 AWS D1.1 - D1 | 5/31/2025 | YES |
| | | | AWS D1.2 ALUMINUM STRUCTURAL WELDING ----- A10458 AWS D1.2 | 5/31/2025 | YES |
| | | | AWS D1.6 - D17.1 SS STRUCTURAL WELDING ----- A10458 AWS D1.6 - D1 | 5/31/2025 | YES |
| | | | FUSION WELDING FOR AEROSPACE ----- A10458 AWS D17.1 | 5/31/2025 | YES |
| | | | TORCH BRAZING ----- AWS C3.4 | 5/31/2025 | YES |
| | | | GAS TUNGSTEN ARC WELDING ----- MIL-STD-2219 | 5/31/2025 | YES |
| | | | FLUX CORED ARC WELDING ----- MIL-STD-2219 FLUX | 5/31/2025 | YES |
| | | | GAS METAL ARC WELDING ----- MIL-STD-2219 METAL | 5/31/2025 | YES |
| | | | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 12/8/2026 | NO |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 12/8/2026 | NO |
| | | | Paint Drawing (DDG-1000) ----- BFD319020 (REV F) | 12/8/2026 | NO |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|-----------------------|--|---------------------------|---|---|----------------------------|
| GEORGE INDUSTRIES LLC | 1 SOUTH PAGE AVENUE ENDICOTT, NY 13760-4695 | Don Baron 607-748-3371 | FURNACE BRAZING ----- MIL-B-7883 TYPE II | 4/18/2025 | NO |
| | | | DIP BRAZING ----- MIL-B-7883 TYPE V | 4/18/2025 | NO |
| | | | ALUM CHEMICAL FILM TYPE I ----- MIL-DTL-5541 TYI | 4/18/2025 | NO |
| | | | ALUM CHEMICAL FILM TYPE II ----- MIL-DTL-5541 TYII | 4/18/2025 | NO |
| | | | SPECIFICATIONS FOR WELDING, ALUMINUM, and ALUMINUM ALLOY ----- MIL-W-22248A | 7/23/2027 | NO |
| | | | WELDING ALUM & MAG ALLOYS GP 1, CL A ----- AMS-W-6858 GR1 CLA | 7/23/2027 | NO |
| | | | WELDING ALUM & MAG ALLOYS GP 1, CL B ----- AMS-W-6858 GR1 CLB | 7/23/2027 | NO |
| | | | WELDING ALUM & MAG ALLOYS GP 1, CL C ----- AMS-W-6858 GR1 CLC | 7/23/2027 | NO |
| | | | WELDING NICKEL & STAINLESS GP 2, CL C ----- AMS-W-6858 GR2 CLC | 7/23/2027 | NO |
| | | | RESISTANCE WELDING, CLASS B ----- AWS D17.2 CLASS B | 7/23/2027 | NO |
| | | | RESISTANCE WELDING, CLASS C ----- AWS D17.2 CLASS C | 7/23/2027 | NO |
| | | | GPR TESTING AND INSPECTION LLC | 163 BUSINESS PARK DR LEBANON, TN 37090 | JIM BOGNER 615-449-7299 |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|---|--|-----------------|---|---|---------------------------------|
| Great Lakes Metal Finishing A Division of Classic Turning, Inc. | 120 S. Dwight Street Jackson , MI 49203 | 517-841-9380 | CONVERSION COATING TITANIUM ----- AMS 2486 | 2/28/2026 | YES |
| | | | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 2/28/2026 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 2/28/2026 | YES |
| | | | CHEMICAL PASSIVATION OF STAINLESS STEEL PARTS ----- ASTM A967 | 2/28/2026 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- MIL-A-8625 | 2/28/2026 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 2/28/2026 | YES |
| | | | GSP COATINGS INC | 101 JOHN SEITZ DR BRATTLEBORO , VT 05301 | QUALITY MANAGER 802-257-5858 |
| ANODIZING OF ALUMINUM & ALUMINUM ALLOYS ----- AMS 2472 | 8/31/2026 | YES | | | |
| CONVERSION/PHOSPHATE COATINGS ----- AMS 2473 | 8/31/2026 | YES | | | |
| PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 8/31/2026 | YES | | | |
| CHEM PASSIVATION OF STAINLESS PARTS ----- ASTM A967 & A380 | 8/31/2026 | YES | | | |
| ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- MIL-A-8625 | 8/31/2026 | YES | | | |
| ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 8/31/2026 | YES | | | |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|-----------------------------|---|---------------------------------|--|------------------|---------|
| HANSEN AEROSPACE | DANVERS INDUSTRIAL PARK DANVERS , MA 01923 | HARRY HANSEN 978-774-2873 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 2/28/2025 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 2/28/2025 | YES |
| | | | ULTRASONIC INSPECTION ----- MIL-STD-2154 | 2/28/2025 | YES |
| HANSEN BALK | 1230 MONROE AVE NORTHWEST GRAND RAPIDS , MI 49505-4690 | QUALITY MANAGER 616-458-1414 | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 11/30/2025 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 11/30/2025 | YES |
| | | | HEAT TREATMENT AUSTENITIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/4 | 11/30/2025 | YES |
| | | | HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 11/30/2025 | YES |
| | | | HEAT TREATMENT OF PARTS IN A VACUUM ----- AMS 2769 | 11/30/2025 | YES |
| | | | STANDARD TESTING FOR ROCKWELL HARDNESS ----- ASTM E18 | 11/30/2025 | YES |
| Har-Conn Aerospace, Inc. | 5000 Augusta Drive Fort Worth , TX 76106 | 817-626-5437 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 5/31/2025 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- MIL-A-8625 | 5/31/2025 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 5/31/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|-----------------------|---|-------------------------------|--|------------------|---------|
| HAR-CONN CHROME CO | 603-NEW PARK AVE. WEST HARTFORD , CT 06110 | DANIAL BACKUS 860-236-6801 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 2/28/2025 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 2/28/2025 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- MIL-A-8625 | 2/28/2025 | YES |
| | | | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE I, CLASS 1 ----- MIL-A-8625 TYI CL1 | 2/28/2025 | YES |
| | | | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE I, CLASS 2 ----- MIL-A-8625 TYI CL2 | 2/28/2025 | YES |
| | | | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE IB, CLASS 1 ----- MIL-A-8625 TYIB CL1 | 2/28/2025 | YES |
| | | | ELECTROLESS NICKEL PLATING CLASS 1 ----- MIL-C-26074 CL1 | 2/28/2025 | YES |
| | | | ELECTROLESS NICKEL PLATING CLASS 2 ----- MIL-C-26074 CL2 | 2/28/2025 | YES |
| | | | ELECTROLESS NICKEL PLATING CLASS 3 ----- MIL-C-26074 CL3 | 2/28/2025 | YES |
| | | | ELECTROLESS NICKEL PLATING CLASS 4 ----- MIL-C-26074 CL4 | 2/28/2025 | YES |
| | | | PHOSPHATE COATING ----- MIL-DTL-16232 | 2/28/2025 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 2/28/2025 | YES |
| | | | ALUM CHEMICAL FILM TYPE II ----- MIL-DTL-5541 TYII | 2/28/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: | | | |
|--|--|-------------------------------|--|--|-------------------------------|--|-----------|-----|
| HAR-CONN CHROME CO | 603-NEW PARK AVE. WEST HARTFORD, CT 06110 | DANIAL BACKUS 860-236-6801 | QQ-N-290 NICKEL ELECTROPLATING CLASS 2 ----- QQ-N-290 CL2 | 2/28/2025 | YES | | | |
| | | | CADMIUM ELECTROPLATING ----- QQ-P-416 | 2/28/2025 | YES | | | |
| | | | QQ-S-365 SILVER ELECTROPLATING TYPE I, GRADE A ----- QQ-S-365 TYI GRDA | 2/28/2025 | YES | | | |
| | | | QQ-S-365 SILVER ELECTROPLATING TYPE I, GRADE B ----- QQ-S-365 TYI GRDB | 2/28/2025 | YES | | | |
| | | | QQ-S-365 SILVER ELECTROPLATING TYPE II, GRADE A ----- QQ-S-365 TYII GRDA | 2/28/2025 | YES | | | |
| | | | QQ-S-365 SILVER ELECTROPLATING TYPE II, GRADE B ----- QQ-S-365 TYII GRDB | 2/28/2025 | YES | | | |
| | | | SILVER ELECTROPLATING TYPE III, GRADE A ----- QQ-S-365 TYIII GRDA | 2/28/2025 | YES | | | |
| | | | SILVER ELECTROPLATING TYPE III, GRADE B ----- QQ-S-365 TYIII GRDB | 2/28/2025 | YES | | | |
| | | | HERCULES HEAT TREATING CORP. | 101-113 CLASSON AVE. BROOKLYN, NY 11205 | ANTHONY RIZZO 718-625-1266 | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 2/28/2025 | YES |
| | | | | | | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 2/28/2025 | YES |
| HEAT TREAT OF LOW-ALLOY STEEL PARTS > 220 KSI ----- AMS 2759/2 | 2/28/2025 | YES | | | | | | |
| HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 2/28/2025 | YES | | | | | | |
| HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 2/28/2025 | YES | | | | | | |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|------------------------------|---|-------------------------------|--|------------------|---------|
| HERCULES HEAT TREATING CORP. | 101-113 CLASSON AVE. BROOKLYN, NY 11205 | ANTHONY RIZZO 718-625-1266 | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 2/28/2025 | YES |
| HILLOCK ANODIZING | 5101 COMLY STREET PHILADELPHIA, PA 19135 | JOE HILLOCK 215-535-8090 | HARD COAT ALUMINUM ----- AMS 2469 | 8/31/2026 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- AMS-A-8625 | 8/31/2026 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 8/31/2026 | YES |
| | | | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE I, CLASS 1 ----- MIL-A-8625 TYI CL1 | 8/31/2026 | YES |
| | | | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE I, CLASS 2 ----- MIL-A-8625 TYI CL2 | 8/31/2026 | YES |
| | | | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE IB, CLASS 1 ----- MIL-A-8625 TYIB CL1 | 8/31/2026 | YES |
| | | | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE IB, CLASS 2 ----- MIL-A-8625 TYIB CL2 | 8/31/2026 | YES |
| | | | MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 1 ----- MIL-A-8625 TYII CL1 | 8/31/2026 | YES |
| | | | MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 2 ----- MIL-A-8625 TYII CL2 | 8/31/2026 | YES |
| | | | MIL-A-8625 HARDCOAT - ALUM ANOD TYPE III, CLASS 1 ----- MIL-A-8625 TYIII CL1 | 8/31/2026 | YES |
| | | | MIL-A-8625 HARDCOAT - ALUM ANOD TYPE III, CLASS 2 ----- MIL-A-8625 TYIII CL2 | 8/31/2026 | YES |
| | | | CHEMICAL CONVERSION COAT ON ALU ----- MIL-C-5541 | 8/31/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|----------------------------|--|-----------------------------|---|------------------|---------|
| HILLOCK ANODIZING | 5101 COMLY STREET PHILADELPHIA , PA 19135 | JOE HILLOCK 215-535-8090 | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 8/31/2026 | YES |
| | | | ANODIC COATINGS AL & AL ALLOY ----- MIL-PRF-8625 | 8/31/2026 | YES |
| HITCHINER MFG CO., INC. | 594 Elm Street MILFORD , NH 03055 | 6036731100 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 5/31/2025 | YES |
| | | | RADIOGRAPHIC INSPECTION ----- ASTM E1742-95 | 5/31/2025 | YES |
| | | | In-Process Welding of Castings ----- A10318 | 11/30/2026 | YES |
| HIXSON METAL FINISHING | 829 PRODUCTION PLACE NEWPORT BEACH , CA 92663 | 949-645-4800 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 2/28/2025 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- AMS-A-8625 | 2/28/2025 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 2/28/2025 | YES |
| | | | CHEM PASSIVATION OF STAINLESS PARTS ----- ASTM A967 & A380 | 2/28/2025 | YES |
| | | | PHOSPHATE COATING ----- MIL-DTL-16232 | 2/28/2025 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 2/28/2025 | YES |
| | | | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 11/30/2025 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 11/30/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|-----------------------|---|---|--|------------------|---------|
| HOHMAN PLATING LLC | 814 HILLROSE AVENUE DAYTON, OH 45404 | JACK MAHER, QM / JANIE FAIRLEY, QC 937-228-2191 | PLATING ELECTROLESS NICKEL ----- AMS 2404 | 12/31/2024 | YES |
| | | | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 12/31/2024 | YES |
| | | | CHEM PASSIVATION OF STAINLESS PARTS ----- ASTM A967 & A380 | 12/31/2024 | YES |
| | | | ZINC ELECTROPLATING TYPE I ----- ASTM B633 TYPE I | 12/31/2024 | YES |
| | | | ZINC ELECTROPLATING TYPE II ----- ASTM B633 TYPE II | 12/31/2024 | YES |
| | | | ZINC ELECTROPLATING TYPE III ----- ASTM B633 TYPE III | 12/31/2024 | YES |
| | | | ZINC ELECTROPLATING TYPE IV ----- ASTM B633 TYPE IV | 12/31/2024 | YES |
| | | | ZINC ELECTROPLATING TYPE V ----- ASTM B633 TYPE V | 12/31/2024 | YES |
| | | | ZINC ELECTROPLATING TYPE VI ----- ASTM B633 TYPE VI | 12/31/2024 | YES |
| | | | MIL-A-8625 ANODIC FILM TYPE II CLASS 1 ----- MIL-A-8625 ANOD II | 12/31/2024 | YES |
| | | | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE I, CLASS 1 ----- MIL-A-8625 TYI CL1 | 12/31/2024 | YES |
| | | | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE I, CLASS 2 ----- MIL-A-8625 TYI CL2 | 12/31/2024 | YES |
| | | | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE IB, CLASS 1 ----- MIL-A-8625 TYIB CL1 | 12/31/2024 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|-------------------------------|--|--|---|------------------|---------|
| HOHMAN PLATING LLC | 814 HILLROSE AVENUE DAYTON , OH 45404 | JACK MAHER, QM / JANIE FAIRLEY, QC 937-228-2191 | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE IB, CLASS 2 ----- MIL-A-8625 TYIB CL2 | 12/31/2024 | YES |
| | | | MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 1 ----- MIL-A-8625 TYII CL1 | 12/31/2024 | YES |
| | | | MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 2 ----- MIL-A-8625 TYII CL2 | 12/31/2024 | YES |
| | | | MIL-A-8625 HARDCOAT - ALUM ANOD TYPE III, CLASS 1 ----- MIL-A-8625 TYIII CL1 | 12/31/2024 | YES |
| | | | MIL-A-8625 HARDCOAT - ALUM ANOD TYPE III, CLASS 2 ----- MIL-A-8625 TYIII CL2 | 12/31/2024 | YES |
| | | | PHOSPHATE COATING ----- MIL-DTL-16232 | 12/31/2024 | YES |
| | | | ALUM CHEMICAL FILM TYPE I ----- MIL-DTL-5541 TYI | 12/31/2024 | YES |
| | | | ALUM CHEMICAL FILM TYPE II ----- MIL-DTL-5541 TYII | 12/31/2024 | YES |
| | | | LUBRICANT, SOLID FILM, HEAT CURED, CORROSION INHIBITING NA ----- MIL-PRF-46010 | 12/31/2024 | YES |
| | | | MIL-T-10727 / ASTM B339 / ASTM B545 TIN PLATING ----- MIL-T-10727 | 12/31/2024 | YES |
| | | | QQ-N-290 NICKEL ELECTROPLATING CLASS 1 ----- QQ-N-290 CL1 | 12/31/2024 | YES |
| | | | QQ-N-290 NICKEL ELECTROPLATING CLASS 2 ----- QQ-N-290 CL2 | 12/31/2024 | YES |
| | | | CADMIUM ELECTROPLATING TYPE I ----- QQ-P-416B TYI | 12/31/2024 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|---|---|---|---|------------------|---------|
| HOHMAN PLATING LLC | 814 HILLROSE AVENUE DAYTON , OH 45404 | JACK MAHER, QM / JANIE FAIRLEY, QC 937-228-2191 | CADMIUM ELECTROPLATING TYPE II ----- QQ-P-416B TYII | 12/31/2024 | YES |
| | | | CADMIUM ELECTROPLATING TYPE III ----- QQ-P-416B TYIII | 12/31/2024 | YES |
| | | | CONVERSION COATINGS AND PRETREATMENT/METALLIC SUBSTRATES ----- TT-C-490 | 12/31/2024 | YES |
| HOOSIER SPRING CO | 4604 SO BURNETT RD SOUTH BEND , IN 46614 | Massimo Cataldo 574-291-7550 / GREGORY SUTH | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 5/30/2025 | YES |
| | | | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 5/30/2025 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 5/30/2025 | YES |
| | | | HEAT TREATMENT AUSTENITIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/4 | 5/30/2025 | YES |
| | | | Heat Treatment Wrought Nickel and Cobalt Alloy Parts ----- AMS 2774 | 5/30/2025 | YES |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 5/30/2025 | YES |
| | | | HEAT TREATMENT OF TITANIUM ----- AMS-H-81200 | 5/30/2025 | YES |
| Hydro Honing D/B/A Peening Tech. Of CT | 8 EASTERN PARK ROAD EAST HARTFORD , CT 06108 | WALTER BEACH JR 860 289-4328 | SHOT PEENING ----- MIL-S-13165 | 2/28/2025 | YES |
| HY-VAC TECHNOLOGIES INC | 15701 Glendale Ave Detroit , MI 48227 | 313-838-2800 | Hardness & Conductivity Inspection of Wrought Alum Alloy Par ----- AMS 2658 | 5/31/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--|--|---|--|------------------|---------|
| HY-VAC TECHNOLOGIES INC | 15701 Glendale Ave Detroit , MI 48227 | 313-838-2800 | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 5/31/2025 | YES |
| | | | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 5/31/2025 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 5/31/2025 | YES |
| | | | HEAT TREATMENT AUSTENITIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/4 | 5/31/2025 | YES |
| | | | HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 5/31/2025 | YES |
| | | | HEAT TREATMENT OF WROUGHT ALUMINUM ALLOY PARTS ----- AMS 2770 | 5/31/2025 | YES |
| | | | Heat Treatment of Aluminum Alloy Castings ----- AMS 2771 | 5/31/2025 | YES |
| | | | ALUMINUM HEAT TREAT OF RAW MATERIAL ----- AMS 2772 | 5/31/2025 | YES |
| | | | HEAT TREATMENT OF ALUMINUM AND ALUMINUM ALLOYS ----- AMS-H-6088 | 5/31/2025 | YES |
| IMAGINEERING FINISHING TECH | 1302 W. SAMPLE ST SOUTH BEND , IN 46619 | Christen Allen 574.287.2941 ext. 752 | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 1/31/2025 | YES |
| Imagineering Finishing Technologies - Foundation Court | 3722 Foundation Court South Bend , IN 46628 | Christen Allen 574.287.2941 ext. 752 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 2/28/2025 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 2/28/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--|--|---|--|------------------|---------|
| Imagineering Finishing Technologies - Foundation Court | 3722 Foundation Court South Bend , IN 46628 | Christen Allen 574.287.2941 ext. 752 | PASSIVATION ----- ASTM A380 | 2/28/2025 | YES |
| | | | CHEMICAL PASSIVATION OF STAINLESS STEEL PARTS ----- ASTM A967 | 2/28/2025 | YES |
| | | | PHOSPHATE COATING ----- MIL-DTL-16232 | 2/28/2025 | YES |
| | | | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 2/28/2026 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 2/28/2026 | YES |
| INCERTEC | 490 Northco Drive Fridley , MN 55432 | LEE TILKES 763-717-7016 | COPPER ELECTROPLATING ----- AMS 2418 | 8/31/2025 | YES |
| | | | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 8/31/2025 | YES |
| | | | CHEM PASSIVATION OF STAINLESS PARTS ----- ASTM A967 & A380 | 8/31/2025 | YES |
| | | | ELECTRODEPOSITED GOLD ----- ASTM B488-1 | 8/31/2025 | YES |
| | | | MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 1 ----- MIL-A-8625 TYII CL1 | 8/31/2025 | YES |
| | | | MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 2 ----- MIL-A-8625 TYII CL2 | 8/31/2025 | YES |
| | | | MIL-A-8625 HARDCOAT - ALUM ANOD TYPE III, CLASS 1 ----- MIL-A-8625 TYIII CL1 | 8/31/2025 | YES |
| | | | MIL-A-8625 HARDCOAT - ALUM ANOD TYPE III, CLASS 2 ----- MIL-A-8625 TYIII CL2 | 8/31/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|---|---|---|---|------------------|---------|
| INCERTEC | 490 Northco Drive Fridley, MN 55432 | LEE TILKES 763-717-7016 | ELECTROLESS NICKEL PLATING ----- MIL-C-26074 | 8/31/2025 | YES |
| | | | ALUM CHEMICAL FILM TYPE I ----- MIL-DTL-5541 TYI | 8/31/2025 | YES |
| | | | ALUM CHEMICAL FILM TYPE II ----- MIL-DTL-5541 TYII | 8/31/2025 | YES |
| | | | GOLD ELECTROPLATING ----- MIL-G-45204 | 8/31/2025 | YES |
| | | | MIL-T-10727 / ASTM B339 / ASTM B545 TIN PLATING ----- MIL-T-10727 | 8/31/2025 | YES |
| | | | NICKEL ELECTROPLATING ----- QQ-N-290 | 8/31/2025 | YES |
| INTERNATIONAL BEAM WELD | 63 DOTY CIRCLE WEST SPRINGFIELD, MA 01089 | BEVERLY MACFADDEN 413-781-4368 | Welding, Electron Beam ----- AMS2681 | 2/28/2025 | YES |
| JH METAL FINISHING INC | 1146 E ST NEW BRITAIN, CT 06051-1619 | JOHN HELENEK 860-223-6412 | PHOSPHATE COATING ----- MIL-DTL-16232 | 2/28/2025 | YES |
| Joining Technologies Inc. | 17 Connecticut South Dr East Granby, CT 06026-9671 | 860-653-0111 | Welding, Electron Beam ----- AMS2681 | 8/31/2025 | YES |
| | | | FUSION WELDING FOR AEROSPACE ----- AWS-D-17.1 | 8/31/2025 | YES |
| KHT Corporation FKA KOREA HEAT TREATMENT | 29-2, PALYONG-DONG, KYUNGSANGNAM, KOREA | KIM PAN-YUN, MANAGER 82-55-296-4881 | CARBURIZING & HEAT TREAT OF CARB. GR. STEEL ----- AMS 2759/7 | 8/26/2027 | NO |
| | | | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 2/28/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--|--|---|---|------------------|---------|
| KHT Corporation FKA KOREA HEAT TREATMENT | 29-2, PALLYONG-DONG, KYUNGSANGNAM , KOREA | KIM PAN-YUN, MANAGER 82-55-296-4881 | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 2/28/2026 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 2/28/2026 | YES |
| Kittyhawk Products | 11651 Monarch Street Garden Grove , CA 92841 | Melissa Marquez-Silva (714)895-5024 | Hot Isostatic Pressing ----- P224 | 2/28/2025 | YES |
| KLINGE ENAMELING INC | 5001 E PROSPECT ST INDIANAPOLIS , IN 46203-2499 | JERRY BUTNER 317-359-8291 | CHEM PASSIVATION OF STAINLESS PARTS ----- ASTM A967 & A380 | 11/30/2025 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 11/30/2025 | YES |
| L&E ENGINEERING | 254 N GRAHAM RD GREENWOOD , IN 46146 | GREG SANDBERG 317-884-0017 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 2/28/2026 | YES |
| LABORATORY TESTING INC | 2331 TOPAZ DRIVE HATFIELD , PA 19440 | FRANK PESZKA 800-219-9095 | ULTRASONIC INSPECTION ----- MIL-STD-2154 | 8/31/2025 | YES |
| Lake City Heat Treating | 2427 North Boeing Rd Warsaw , IN 46582 | Bill Davis 219-269-9484 | HEAT TREAT OF LOW-ALLOY STEEL PARTS > 220 KSI ----- AMS 2759/2 | 5/31/2025 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 5/31/2025 | YES |
| | | | HEAT TREATMENT OF PARTS IN A VACUUM ----- AMS 2769 | 5/31/2025 | YES |
| LIGHT METALS COLORING | 270 Spring St. Southington , CT 06489-1517 | 860-621-0145 | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- MIL-A-8625 | 12/31/2024 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--------------------------------------|---|---|---|------------------|---------|
| LIGHTHOUSE MFG. | 35 Mirona Road Portsmouth, NH 03801 | MIKE BEAN / SHAWN SMITH 978-532-5999 | RESISTANCE WELDING ----- AWS D17.2 | 8/31/2025 | YES |
| | | | FUSION WELDING FOR AEROSPACE ----- AWS-D-17.1 | 8/31/2025 | YES |
| LYNN WELDING | 75 ROCKWELL ROAD NEWINGTON, CT 06111 | ED WARREN 860-667-4400 | SPECIFICATIONS FOR WELDING, ALUMINUM, and ALUMINUM ALLOY ----- MIL-W-22248A | 9/12/2027 | NO |
| | | | FUSION WELDING FOR AEROSPACE ----- A10458 AWS D17.1 | 8/31/2025 | YES |
| | | | RESISTANCE WELDING, SPOT AND SEAM ----- AMS-W-6858 RES WELD | 8/31/2025 | YES |
| | | | RESISTANCE WELDING ----- AWS D17.2 | 8/31/2025 | YES |
| | | | GAS TUNGSTEN ARC WELDING ----- MIL-STD-2219 | 8/31/2025 | YES |
| MAGNETIC INSPECTION LABORATORY, INC. | 1401 GREEN LEAF AVENUE ELK GROVE VILLA IL, IL 60008-5536 | DON BERG 847-437-4488 | Hard Coating of Alum Alloys Teflon Impregnated or Codeposite ----- AMS 2482 | 11/30/2025 | YES |
| | | | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 11/30/2025 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 11/30/2025 | YES |
| | | | PASSIVATION ----- ASTM A380 | 11/30/2025 | YES |
| | | | CHEM PASSIVATION OF STAINLESS PARTS ----- ASTM A967 & A380 | 11/30/2025 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- MIL-A-8625 | 11/30/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--------------------------------------|--|---------------------------------|---|------------------|---------|
| MAGNETIC INSPECTION LABORATORY, INC. | 1401 GREEN LEAF AVENUE ELK GROVE VILLA IL , IL 60008-5536 | DON BERG 847-437-4488 | CLASS 1, BLACK OXIDE ----- MIL-DTL-13924 CL 1 | 11/30/2025 | YES |
| | | | CLASS 4, BLACK OXIDE ----- MIL-DTL-13924 CL 4 | 11/30/2025 | YES |
| | | | PHOSPHATE COATING ----- MIL-DTL-16232 | 11/30/2025 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 11/30/2025 | YES |
| | | | RADIOGRAPHIC INSPECTION ----- ASTM E1742 | 8/31/2025 | YES |
| MAGNUS HITECH INDUSTRIES INC | 1605 LAKE STREET MELBOURNE , FL 32901 | Sandy Earnshaw 321-549-7929 | FUSION WELDING FOR AEROSPACE ----- A10458 AWS D17.1 | 12/31/2024 | NO |
| | | | SPECIFICATIONS FOR WELDING, ALUMINUM, and ALUMINUM ALLOY ----- MIL-W-22248A | 12/31/2024 | NO |
| | | | TORCH BRAZING ----- AWS C3.4 | 11/10/2025 | NO |
| | | | TORCH BRAZING ----- MIL-B-7883 TYPE 1 | 11/10/2025 | NO |
| MAYNARD, INC. | 7175 S. MCGUIRE ST. FAYETTEVILLE , AR 72704-5237 | QUALITY MANAGER 479-443-6677 | FUSION WELDING FOR AEROSPACE ----- AWS-D-17.1 | 8/31/2025 | YES |
| | | | SPECIFICATIONS FOR WELDING, ALUMINUM, and ALUMINUM ALLOY ----- MIL-W-22248A | 8/31/2025 | YES |
| | | | CADMIUM PLATING ----- AMS 2400 | 2/28/2026 | YES |
| METAL SURFACES INTERNATIONAL IIC | 6060 SHULL STREET BELL GARDENS , CA 90201 | QUALITY MANAGER | PLATING ELECTROLESS NICKEL ----- AMS 2404 | 2/28/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|------------------------------|---|-----------------------------------|--|---|----------------------------|
| METALLURGICAL PROCESSING INC | 68 ARTHUR ST NEW BRITAIN , CT 06050 | TERRY WHITE 860-224-2648 x 442 | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 8/31/2025 | YES |
| | | | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 8/31/2025 | YES |
| | | | HEAT TREAT OF LOW-ALLOY STEEL PARTS > 220 KSI ----- AMS 2759/2 | 8/31/2025 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 8/31/2025 | YES |
| | | | HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 8/31/2025 | YES |
| | | | HEAT TREATMENT OF WROUGHT ALUMINUM ALLOY PARTS ----- AMS 2770 | 8/31/2025 | YES |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 8/31/2025 | YES |
| | | | METALTEK | 905 E. ST. PAUL AVE. WAUKESHA , WI 53188 | TOM GARCIA 262-544-7707 |
| METCOR INC | 560 BLVD ARTHUR SAUVE ST- EUSTACHE , J7R 5A8 QUEBEC | GUANG GUO 450-473-1884 | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 8/31/2025 | YES |
| | | | HEAT TREAT OF LOW-ALLOY STEEL PARTS > 220 KSI ----- AMS 2759/2 | 8/31/2025 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 8/31/2025 | YES |
| | | | HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 8/31/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|-----------------------------------|---|--------------------------------|--|------------------|---------|
| METCOR INC | 560 BLVD ARTHUR SAUVE ST- EUSTACHE , J7R 5A8 QUEBEC | GUANG GUO 450-473-1884 | CARBURIZING & HEAT TREAT OF CARB. GR. STEEL ----- AMS 2759/7 | 8/31/2025 | YES |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 8/31/2025 | YES |
| MET-L-TEST LABORATORY | 115 BROWNING STREET STRATFORD , CT 06497 | DIANE BALDELLI 203-377-2429 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 5/31/2025 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 5/31/2025 | YES |
| MID CONTINENT ENGINEERING | 405 35TH AVENUE NE MINNEAPOLIS , MN 55418-1126 | CRYSTAL STANG 612 782-1330 | FUSION WELDING FOR AEROSPACE ----- A10458 AWS D17.1 | 1/18/2027 | NO |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 1/30/2027 | NO |
| MILLER CASTINGS INC | 2503 PACIFIC PARK DR WHITTIER , CA 90601 | FRANK BLANK 562-695-0461 | In-process Welding of Castings (Naval Sea Systems) ----- 5191378 | 5/31/2025 | YES |
| | | | In-Process Welding of Castings ----- A10318 | 5/31/2025 | YES |
| | | | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 8/31/2025 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 8/31/2025 | YES |
| | | | RADIOGRAPHIC INSPECTION ----- ASTM E1742-00 | 8/31/2025 | YES |
| MISTRAS GENERAL TEST & INSPECT | 8427 ATLANTIC AVE CUDAHY , CA 90201 | GREG BOLDUC 323-583-1653 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 2/28/2026 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 2/28/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|---------------------------------------|---|--|--|------------------|---------|
| MISTRAS GENERAL TEST & INSPECT | 8427 ATLANTIC AVE CUDAHY, CA 90201 | GREG BOLDUC 323-583-1653 | RADIOGRAPHIC INSPECTION ----- ASTM E1742-00 | 2/28/2026 | YES |
| | | | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 11/30/2025 | YES |
| MISTRAS SERVICES | 16F INTERNATIONAL DR EAST GRANBY, CT 06026 | STEPHEN ORLUK 860-653-0077 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 2/28/2026 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 2/28/2026 | YES |
| | | | RADIOGRAPHIC INSPECTION ----- ASTM E1742 | 2/28/2026 | YES |
| MISTRAS Services, Inc. St. Lambert | 915 RUE ST CHARLES ST LAMBERT, J4P 2A2 QUEBEC, CANADA | QUALITY MANAGER 450-671-0220 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 8/31/2025 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 8/31/2025 | YES |
| | | | RADIOGRAPHIC INSPECTION ----- ASTM E1742-00 | 8/31/2025 | YES |
| MITCHELL AEROSPACE, INC. | 350 DECARIE BLVD SAINT LAURENT, QC H4L 3K5 QUEBEC | Luigi Davoli, Quality Director 514-748-3447 | In-Process Welding of Castings ----- A10318 | 3/5/2027 | NO |
| | | | Heat Treatment of Aluminum Alloy Castings ----- AMS 2771 | 5/14/2027 | NO |
| | | | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 8/31/2025 | YES |
| | | | RADIOGRAPHIC INSPECTION ----- ASTM E1742 | 8/31/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--|---|-------------------------------|---|------------------|---------|
| MITCHELL LABORATORIES, INC. | 7707 BEQUETTE AVE. PICO RIVERA , CA 90660 | RON MURPHY 562-949-6144 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 2/28/2026 | YES |
| | | | ULTRASONIC INSPECTION ----- MIL-STD-2154 | 2/28/2026 | YES |
| MODERN METAL FINISHING | 110 WILLENBROCK RD. OXFORD , CT 06478 | BRUNO PERIN 203-267-1510 | HARD COAT ALUMINUM ----- AMS 2469 | 11/30/2025 | YES |
| | | | ANODIZE ALUMINUM, SULFURIC ACID ----- AMS 2471 | 11/30/2025 | YES |
| | | | ANODIZING OF ALUMINUM & ALUMINUM ALLOYS ----- AMS 2472 | 11/30/2025 | YES |
| | | | CONVERSION/PHOSPHATE COATINGS ----- AMS 2473 | 11/30/2025 | YES |
| | | | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 11/30/2025 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- AMS-A-8625 | 11/30/2025 | YES |
| | | | CHEM PASSIVATION OF STAINLESS PARTS ----- ASTM A967 & A380 | 11/30/2025 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 11/30/2025 | YES |
| Monogram Aerospace Fasteners, A Trimas Company | A Trimas Company 3423 SOUTH GARFIELD AVE Commerce , CA 90040-3103 | KEVIN VOLLMER 323-722-4760 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 8/31/2025 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 8/31/2025 | YES |
| | | | CADMIUM ELECTROPLATING ----- AMS-QQ-P-416 | 8/31/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--|--|-------------------------------|---|------------------|---------|
| Monogram Aerospace Fasteners, A Trimas Company | A Trimas Company 3423 SOUTH GARFIELD AVE Commerce, CA 90040-3103 | KEVIN VOLLMER 323-722-4760 | CHEMICAL PASSIVATION OF STAINLESS STEEL PARTS ----- ASTM A967 | 8/31/2025 | YES |
| | | | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 2/28/2026 | YES |
| | | | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 2/28/2026 | YES |
| | | | HEAT TREAT OF LOW-ALLOY STEEL PARTS > 220 KSI ----- AMS 2759/2 | 2/28/2026 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 2/28/2026 | YES |
| | | | HEAT TREATMENT AUSTENITIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/4 | 2/28/2026 | YES |
| Morrell's Electro Plating, Inc. dba Morrell's Aerospace Processing | dba Morrell's Aerospace Processing 436 E EUCLID AVE COMPTON, CA 90223-3085 | 310-639-1024 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 2/28/2026 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- MIL-A-8625 | 8/31/2025 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 8/31/2025 | YES |
| MULTIFLEX PLATING | 109 WILLOWS AVENUE COLLINGDALE, PA 19029 | BILL O'BRIAN 610-461-7700 | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 8/31/2025 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 8/31/2025 | YES |
| | | | QQ-N-290 NICKEL ELECTROPLATING CLASS 1 ----- QQ-N-290 CL1 | 8/31/2025 | YES |
| | | | QQ-N-290 NICKEL ELECTROPLATING CLASS 2 ----- QQ-N-290 CL2 | 8/31/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|------------------------------|---|---------------------------------|--|------------------|---------|
| NDE, INC. | 1189 MERCEDES ST. BENBROOK , TX 76126 | RAY COSGROVE 817 249-4760 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 5/31/2025 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 5/31/2025 | YES |
| | | | RADIOGRAPHIC INSPECTION ----- ASTM E1742-95 | 5/31/2025 | YES |
| | | | ULTRASONIC INSPECTION ----- MIL-STD-2154 | 5/31/2025 | YES |
| NDT Metal Finishing, Inc. | 11370 Luddington Street Sun Valley , CA 91352 | 818-807-1381 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 5/31/2026 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 5/31/2026 | YES |
| NEVADA HEAT TREATING INC | 12 INDUSTRIAL PARKWAY, UNIT C CARSON CITY , NV 89706 | PATRICK MCKENNA 775-246-1040 | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 8/31/2025 | YES |
| | | | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 8/31/2025 | YES |
| | | | HEAT TREAT OF LOW-ALLOY STEEL PARTS > 220 KSI ----- AMS 2759/2 | 8/31/2025 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 8/31/2025 | YES |
| | | | HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 8/31/2025 | YES |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 8/31/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|---|--|------------------------------|--|------------------|---------|
| NEW HAMPSHIRE BALL BEARING | 9700 Independence Ave CHATSWORTH, CA 91311-4323 | 818-407-9300 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 8/31/2026 | YES |
| | | | PASSIVATION ----- ASTM A380 | 8/31/2026 | YES |
| | | | CHEMICAL PASSIVATION OF STAINLESS STEEL PARTS ----- ASTM A967 | 8/31/2026 | YES |
| NEW HAMPSHIRE BALL BEARINGS- PETERBOROUGH | 175 Jaffrey Road PETERBOROUGH, NH 03458 | Maria Langly 603 924-3311 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 2/28/2026 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 2/28/2026 | YES |
| | | | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 2/28/2025 | YES |
| | | | CHEMICAL PASSIVATION OF STAINLESS STEEL PARTS ----- ASTM A967 | 2/28/2025 | YES |
| | | | AMS 2750 Heat Treat ----- AMS 2750 | 2/28/2025 | YES |
| | | | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 2/28/2025 | YES |
| | | | HEAT TREAT OF LOW-ALLOY STEEL PARTS > 220 KSI ----- AMS 2759/2 | 2/28/2025 | YES |
| | | | HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 2/28/2025 | YES |
| | | | HEAT TREATMENT OF PARTS IN A VACUUM ----- AMS 2769 | 2/28/2025 | YES |
| | | | STANDARD TESTING FOR ROCKWELL HARDNESS ----- ASTM E18 | 2/28/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|-------------------------|---|---|--|------------------|---------|
| NEW METHOD PLATING | 43 HAMMOND ST WORCESTER , MA 01610 | 508-754-2671 | CADMIUM ELECTROPLATING ----- AMS-QQ-P-416 | 8/31/2025 | YES |
| | | | HEAT TREATMENT OF WROUGHT ALUMINUM ALLOY PARTS ----- AMS 2770 | 11/30/2026 | YES |
| NEWTON HEAT TREATING | 19235 E. WALNT DRIVE CITY OF INDUSTRY , CA 91748 | IAN MUNRO 626-964-6528 | Heat Treatment of Aluminum Alloy Castings ----- AMS 2771 | 11/30/2026 | YES |
| | | | ALUMINUM HEAT TREAT OF RAW MATERIAL ----- AMS 2772 | 11/30/2026 | YES |
| | | | HEAT TREATMENT OF ALUMINUM ALLOYS ----- MIL-H-6088 | 11/30/2026 | YES |
| | | | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 2/28/2025 | YES |
| NORTH EAST FINISHING CO | 245 Ralph Ave Copiague , NY 11726-1514 | Christopher D'Angelo, President & Quality Director 631-789-8000 | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE I, CLASS 1 ----- MIL-A-8625 TYI CL1 | 5/31/2026 | YES |
| | | | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE I, CLASS 2 ----- MIL-A-8625 TYI CL2 | 5/31/2026 | YES |
| | | | MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 1 ----- MIL-A-8625 TYII CL1 | 5/31/2026 | YES |
| | | | MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 2 ----- MIL-A-8625 TYII CL2 | 5/31/2026 | YES |
| | | | ALUM CHEMICAL FILM CLASS 1A ----- MIL-DTL-5541 CL1A | 5/31/2026 | YES |
| | | | ALUM CHEMICAL FILM TYPE I, CLASS 3 ----- MIL-DTL-5541 TYI CL3 | 5/31/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|------------------------------------|--|---------------------------|---|------------------|---------|
| NORTHEAST COATING TECHNOLOGIES INC | 105 YORK ST. KENNEBUNK , ME 04043 | Gil Cole 207 985-3232 | COATING, TITANIUM NITRIDE PHYSICAL VAPOR DEPOSITION ----- AMS 2444A | 10/17/2027 | NO |
| | | | NITRIDING, LIQUID SALT BATH, PROCESS SPEC FOR ----- A10361 | 6/25/2027 | NO |
| | | | AMS 2753 NTIRIDING PER BURLINGTON VT SPEC ----- A10437 AMS 2753 | 6/25/2027 | NO |
| | | | NITROCARBURIZING, NON-CYANIDE BATH ----- AMS 2753 | 6/25/2027 | NO |
| O & W HEAT TREAT, INC. | ONE BIDWELL ROAD SOUTH WINDSOR , CT 06074 | DON WHITE 860-528-9239 | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 5/31/2026 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 5/31/2026 | YES |
| | | | HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 5/31/2026 | YES |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 5/31/2026 | YES |
| | | | Heat Treatment of Wrought Copper-Beryllium Alloys, Process ----- AMS-H-7199 | 5/31/2026 | YES |
| | | | TORCH BRAZING ----- MIL-B-7883 TYPE 1 | 5/31/2026 | YES |
| | | | FURNACE BRAZING ----- MIL-B-7883 TYPE II | 5/31/2026 | YES |
| | | | INDUCTION BRAZING ----- MIL-B-7883 TYPE III | 5/31/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|-----------------------------|---|---------------------------------------|--|------------------|---------|
| O'FALLON CASTING, LLC. | 600 CANNONBALL LANE O FALLON , MO 63366-0280 | Ben Galmiche 636-272-6176, EXT 149 | In-process Welding of Castings (Naval Sea Systems) ----- 5191378 | 2/28/2026 | YES |
| | | | In-Process Welding of Castings ----- A10318 | 2/28/2026 | YES |
| | | | AMS 2750 Heat Treat ----- AMS 2750 | 2/28/2026 | YES |
| | | | HEAT TREATMENT OF WROUGHT ALUMINUM ALLOY PARTS ----- AMS 2770 | 2/28/2026 | YES |
| | | | Heat Treatment of Aluminum Alloy Castings ----- AMS 2771 | 2/28/2026 | YES |
| | | | HEAT TREATMENT OF ALUMINUM AND ALUMINUM ALLOYS ----- AMS-H-6088 | 2/28/2026 | YES |
| | | | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 11/30/2025 | YES |
| | | | RADIOGRAPHIC INSPECTION ----- ASTM E1742-95 | 11/30/2025 | YES |
| OZARK MOUNTAIN TECHNOLOGIES | 109 MIDLAND DRIVE CUBA , MO 65453 | MARJORIE WAGNER 573-885-3018 | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE I, CLASS 1 ----- MIL-A-8625 TYI CL1 | 11/30/2025 | YES |
| | | | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE I, CLASS 2 ----- MIL-A-8625 TYI CL2 | 11/30/2025 | YES |
| | | | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE IB, CLASS 1 ----- MIL-A-8625 TYIB CL1 | 11/30/2025 | YES |
| | | | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE IB, CLASS 2 ----- MIL-A-8625 TYIB CL2 | 11/30/2025 | YES |
| | | | MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 1 ----- MIL-A-8625 TYII CL1 | 11/30/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|-------------------------------------|--|-----------------------------------|--|------------------|---------|
| OZARK MOUNTAIN TECHNOLOGIES | 109 MIDLAND DRIVE CUBA, MO 65453 | MARJORIE WAGNER 573-885-3018 | MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 2 ----- MIL-A-8625 TYII CL2 | 11/30/2025 | YES |
| | | | MIL-A-8625 HARDCOAT - ALUM ANOD TYPE III, CLASS 1 ----- MIL-A-8625 TYIII CL1 | 11/30/2025 | YES |
| | | | MIL-A-8625 HARDCOAT - ALUM ANOD TYPE III, CLASS 2 ----- MIL-A-8625 TYIII CL2 | 11/30/2025 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 11/30/2025 | YES |
| PACIFIC MAGNETIC & PENETRANT CO INC | 6837 FARMDALE AVE NORHT HOLLYWOOD, CA 91605 | Richard Rodriguez 818-765-7266 | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 8/31/2025 | YES |
| PACIFIC METALLURGICAL | 925 5TH AVE SOUTH KENT, WA 96032 | CATHY FALLEN 253-854-4241 | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 2/28/2025 | YES |
| | | | HEAT TREAT OF LOW-ALLOY STEEL PARTS > 220 KSI ----- AMS 2759/2 | 2/28/2025 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 2/28/2025 | YES |
| | | | HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 2/28/2025 | YES |
| | | | HEAT TREATMENT OF WROUGHT ALUMINUM ALLOY PARTS ----- AMS 2770 | 2/28/2025 | YES |
| | | | ALUMINUM HEAT TREAT OF RAW MATERIAL ----- AMS 2772 | 2/28/2025 | YES |
| PARAMOUNT METAL FINISHING | 1515 WEST ELIZABETH AVE LINDEN, NJ 07036 | MARTIN HALLANDER 908-862-0772 | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- AMS-A-8625 | 11/30/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|-------------------------------------|---|----------------------------------|---|------------------|---------|
| PARAMOUNT METAL FINISHING | 1515 WEST ELIZABETH AVE LINDEN, NJ 07036 | MARTIN HALLANDER 908-862-0772 | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 11/30/2025 | YES |
| PARFUSE CORPORATION | 65 KINKEL STREET WESTBURY, NY 11590 | D. PARRIS 516-997-8888 | Brazing, Aluminum & Aluminum Alloys Molten Flux (Dip) ----- AMS 2673 | 4/28/2025 | NO |
| | | | Aluminum Brazing ----- AWS C3.7M/C3.7 | 9/11/2027 | NO |
| | | | Hardness & Conductivity Inspection of Wrought Alum Alloy Par ----- AMS 2658 | 5/31/2025 | YES |
| | | | HEAT TREATMENT OF WROUGHT ALUMINUM ALLOY PARTS ----- AMS 2770 | 5/31/2025 | YES |
| | | | HEAT TREATMENT OF ALUMINUM AND ALUMINUM ALLOYS ----- AMS-H-6088 | 5/31/2025 | YES |
| | | | STANDARD TESTING FOR ROCKWELL HARDNESS ----- ASTM E18 | 5/31/2025 | YES |
| PARK OHIO dba CANTON DROP FORGE INC | 4575 SOUTHWAY STREET SW CANTON, OH 44706 OH | 330-477-4511 | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 11/30/2026 | YES |
| | | | AMS 2750 Heat Treat ----- AMS 2750 | 5/31/2025 | YES |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 5/31/2025 | YES |
| PARKER RUST-PROOF COMPANY | 1688 ARABELLA ROAD CLEVELAND, OH 44112 | LUCY HU 216-481-7400 ext. 120 | CONVERSION COATINGS AND PRETREATMENT/METALLIC SUBSTRATES ----- TT-C-490 | 2/28/2025 | YES |
| | | | PHOSPHATE COATING ----- MIL-DTL-16232 | 2/28/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--|---|--|--|------------------|---------|
| PASSIVE COMPONENTS & LASER WORKS, INC. | 14095 PROSPERITY AVE BECKER, MN 55308-8830 | Jeff Dotson, President 763-262-0035 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 11/30/2025 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 11/30/2025 | YES |
| | | | CHEM PASSIVATION OF STAINLESS PARTS ----- ASTM A967 & A380 | 11/30/2025 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 11/30/2025 | YES |
| Paulo - Cleveland formerly AMERICAN BRAZING CORP | 4428 HAMANN PKWY WILLOUGHBY, OH 44094 | QA MANAGER 440-946-5900 | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 2/28/2026 | YES |
| | | | HEAT TREATMENT AUSTENITIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/4 | 2/28/2026 | YES |
| | | | HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 2/28/2026 | YES |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 2/28/2026 | YES |
| | | | HEAT TREATMENT OF TITANIUM ----- AMS-H-81200 | 2/28/2026 | YES |
| | | | STANDARD TESTING FOR ROCKWELL HARDNESS ----- ASTM E18 | 2/28/2026 | YES |
| PCC - Schlosser | 345 NE Hemlock Ave Redmond, OR 97756 | 541-548-0766 | In-Process Welding of Castings ----- A10318 | 11/30/2025 | YES |
| | | | AMS 2750 Heat Treat ----- AMS 2750 | 5/31/2026 | YES |
| | | | HEAT TREATMENT OF PARTS IN A VACUUM ----- AMS 2769 | 5/31/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|----------------------------------|--|---|---|------------------|---------|
| PCC - Schlosser | 345 NE Hemlock Ave Redmond , OR 97756 | 541-548-0766 | HEAT TREATMENT OF TITANIUM ----- AMS-H-81200 | 5/31/2026 | YES |
| | | | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 11/30/2026 | YES |
| | | | RADIOGRAPHIC INSPECTION ----- ASTM E1742 | 11/30/2026 | YES |
| PCC STRUCTURALS - CARSON CITY | 2727 LOCKHEED WAY CARSON CITY , NV 89706-0791 | MAURICIO BARRIENTOS / ERIC MACINTYRE 775-883-3800 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 2/28/2025 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 2/28/2025 | YES |
| | | | RADIOGRAPHIC INSPECTION ----- ASTM E1742 | 2/28/2025 | YES |
| | | | In-Process Welding of Castings ----- A10318 | 2/28/2025 | YES |
| | | | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 5/31/2026 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 5/31/2026 | YES |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 5/31/2026 | YES |
| PCC STRUCTURALS - FRANKLIN | 35 Industrial Park Drive Franklin , NH 03235 | 603-934-6630 | In-Process Welding of Castings ----- A10318 | 5/31/2026 | YES |
| | | | Heat Treatment of Aluminum Alloy Castings ----- AMS 2771 | 2/28/2026 | YES |
| | | | HEAT TREATMENT OF ALUMINUM AND ALUMINUM ALLOYS ----- AMS-H-6088 | 2/28/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|---------------------------------------|--|---|---|------------------|---------|
| PCC STRUCTURALS - FRANKLIN | 35 Industrial Park Drive Franklin, NH 03235 | 603-934-6630 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 2/28/2025 | YES |
| | | | RADIOGRAPHIC INSPECTION ----- ASTM E1742 | 2/28/2025 | YES |
| PCC STRUCTURALS INC - TILTON | GRANITE STREET TILTON, NH 03276 | 603 286-4301 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 2/28/2025 | YES |
| PCC Structurals Inc. SSBO - Clackamas | 13340 SE 84TH AVE CLACKAMAS, OR 97015 | DANIEL MCCARTY / Eric Pool, Quality Manager 503-777-3881 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 5/31/2025 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 5/31/2025 | YES |
| | | | RADIOGRAPHIC INSPECTION ----- ASTM E1742 | 5/31/2025 | YES |
| | | | HEAT TREATMENT OF PARTS IN A VACUUM ----- AMS 2769 | 5/31/2025 | YES |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 5/31/2025 | YES |
| | | | In-Process Welding of Castings ----- A10318 | 11/30/2024 | YES |
| PENINSULA METAL FINISHING | 2550 DINNEEN AVE ORLANDO, FL 32804 | C. DAVID ROACH 407-291-1023 | CLASS 1, BLACK OXIDE ----- MIL-DTL-13924 CL 1 | 1/29/2025 | NO |
| PHOENIX HEAT TREATING INC | 2405 W Mohave St PHOENIX, AZ 85009 | 602-258-7751 | HEAT TREATMENT OF TITANIUM ALLOY PARTS ----- AMS 2801 | 2/28/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|-------------------------------|--|-----------------------------|--|--|---------------------------------|
| PHOENIX MANUFACTURING INC | 250 SOUTH RD ENFIELD, CT 06082-4457 CT | Karen Jones 860-745-2080 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 8/31/2026 | YES |
| PLAINVILLE PLATING | 21 FORESTVILLE AVE PLAINVILLE, CT 06062 | QA MANAGER 860-747-1264 | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- MIL-A-8625 | 2/28/2025 | YES |
| PLATING FOR ELECTRONICS (PFE) | 94 Calvary Street Waltham, MA 02453 | 781-893-2368 | MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 1 ----- MIL-A-8625 TYII CL1 | 7/24/2027 | NO |
| | | | MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 2 ----- MIL-A-8625 TYII CL2 | 7/24/2027 | NO |
| | | | MIL-A-8625 THIN SULF ACID AL ANOD TYPE IIB, CL2 ----- MIL-A-8625 TYIIB CL2 | 7/24/2027 | NO |
| | | | MIL-A-8625 HARDCOAT - ALUM ANOD TYPE III, CLASS 1 ----- MIL-A-8625 TYIII CL1 | 7/24/2027 | NO |
| | | | MIL-A-8625 HARDCOAT - ALUM ANOD TYPE III, CLASS 2 ----- MIL-A-8625 TYIII CL2 | 7/24/2027 | NO |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 7/25/2027 | NO |
| | | | PLATING TECH SPECIALISTS, INC | 245 West 74th Place Hialeah, FL 33014 | Gerardo Cabrera 786-208-8831 |
| | | | CLASS 1, BLACK OXIDE ----- MIL-DTL-13924 CL 1 | 12/8/2026 | NO |
| | | | CLASS 4, BLACK OXIDE ----- MIL-DTL-13924 CL 4 | 12/8/2026 | NO |
| | | | Type M, CLASS 1-4 PHOSPHATE COATING ----- MIL-DTL-16232 TYM | 12/8/2026 | NO |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|-------------------------------|---|---|--|------------------|---------|
| PLATING TECH SPECIALISTS, INC | 245 West 74th Place Wilmington, DE 19804 | Gerardo Cabrera 786-208-8831 | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 12/8/2026 | NO |
| PMF INDUSTRIES, INC. | 2601 REACH RD. WILLIAMSPORT, PA 17701 | RICHARD STRYKER, QUALITY MGR. 570-323-9944 x121 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 11/30/2025 | YES |
| POLY METAL FINISHING COMPANY | ONE ALLEN STREET SPRINGFIELD, MA 01108 | WAYNE LUMAN 413-781-4535 | Hard Coating of Alum Alloys Teflon Impregnated or Codeposit ----- AMS 2482 | 2/28/2025 | YES |
| | | | Standard Guide for Prep of Metal Surfaces for Adhesive Bond ----- ASTM D2651 | 2/28/2025 | YES |
| | | | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE I, CLASS 1 ----- MIL-A-8625 TYI CL1 | 2/28/2025 | YES |
| | | | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE I, CLASS 2 ----- MIL-A-8625 TYI CL2 | 2/28/2025 | YES |
| | | | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE IB, CLASS 1 ----- MIL-A-8625 TYIB CL1 | 2/28/2025 | YES |
| | | | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE IB, CLASS 2 ----- MIL-A-8625 TYIB CL2 | 2/28/2025 | YES |
| | | | MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 1 ----- MIL-A-8625 TYII CL1 | 2/28/2025 | YES |
| | | | MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 2 ----- MIL-A-8625 TYII CL2 | 2/28/2025 | YES |
| | | | MIL-A-8625 HARDCOAT - ALUM ANOD TYPE III, CLASS 1 ----- MIL-A-8625 TYIII CL1 | 2/28/2025 | YES |
| | | | MIL-A-8625 HARDCOAT - ALUM ANOD TYPE III, CLASS 2 ----- MIL-A-8625 TYIII CL2 | 2/28/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|----------------------------------|--|-------------------------------|---|------------------|---------|
| POLY METAL FINISHING COMPANY | ONE ALLEN STREET SPRINGFIELD, MA 01103 | WAYNE LUMAN 413-781-4535 | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 2/28/2025 | YES |
| POLY PLATING | 2096 WESTOVER ROAD CHICOPEE, MA 01022 | EDWIN ONDRICK 413-593-5477 | PLATING ELECTROLESS NICKEL CLASS 1 ----- AMS 2404 CLASS 1 | 11/30/2025 | YES |
| | | | PLATING ELECTROLESS NICKEL CLASS 2 ----- AMS 2404 CLASS 2 | 11/30/2025 | YES |
| | | | PLATING ELECTROLESS NICKEL CLASS 3 ----- AMS 2404 CLASS 3 | 11/30/2025 | YES |
| | | | PLATING ELECTROLESS NICKEL CLASS 4 ----- AMS 2404 CLASS 4 | 11/30/2025 | YES |
| | | | ELECTROLESS NICKEL PLATING CLASS 1 ----- MIL-C-26074 CL1 | 11/30/2025 | YES |
| | | | ELECTROLESS NICKEL PLATING CLASS 2 ----- MIL-C-26074 CL2 | 11/30/2025 | YES |
| | | | ELECTROLESS NICKEL PLATING CLASS 3 ----- MIL-C-26074 CL3 | 11/30/2025 | YES |
| | | | ELECTROLESS NICKEL PLATING CLASS 4 ----- MIL-C-26074 CL4 | 11/30/2025 | YES |
| PRECIOUS METALS PLATING COMPANY | 2635 S. Orange Ave SANTA ANA, CA 92707-3738 | 714-546-6271 | PLATING ELECTROLESS NICKEL ----- AMS 2404 | 8/31/2025 | YES |
| Pressure Technology Inc. | 415 Patricia Drive WARMINSTER, PA 18974 | 215-674-8844 | Hot Isostatic Pressing ----- P224 | 8/31/2026 | YES |
| PRODUCT EVALUATION SYSTEMS, INC. | 637 DONOHOE RD LATROBE, PA 15650-0722 | Ethan Miller 724-834-8848 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 5/31/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|----------------------------------|---|---------------------------------------|---|------------------|---------|
| PRODUCT EVALUATION SYSTEMS, INC. | 637 DONOHOE RD LATHROP, WA 98650-0700 | Ethan Miller 724-834-8848 | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 5/31/2025 | YES |
| PROGRESS SERVICES | 13948 PROGRESS PKWY NORTH ROYALTON, OH 44133 | QA MANAGER 440-237-1811 | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 5/31/2025 | YES |
| PROGRESSIVE STEEL TREATING | 922 LAWN DRIVE LOVES PARK, IL 61111 | ROBERT LEONARD 815-877-2571 | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 11/30/2025 | YES |
| | | | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 11/30/2025 | YES |
| | | | HEAT TREAT OF LOW-ALLOY STEEL PARTS > 220 KSI ----- AMS 2759/2 | 11/30/2025 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 11/30/2025 | YES |
| | | | HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 11/30/2025 | YES |
| | | | GAS NITRIDING AND HEAT TREATMENT OF LOW-ALLOY STEEL PARTS ----- AMS 2759/6 | 11/30/2025 | YES |
| | | | CARBURIZING & HEAT TREAT OF CARB. GR. STEEL ----- AMS 2759/7 | 11/30/2025 | YES |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 11/30/2025 | YES |
| Protech Metal Finishing LLC | 120 Tellico Port Rd Vonore, TN 37885-2434 | Shawn Dubey 423-884-2000 ext. 1457 | CONVERSION COATING TITANIUM ----- AMS 2486 | 2/28/2026 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 2/28/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|-----------------------------|--|---------------------------------------|---|------------------|---------|
| Protech Metal Finishing LLC | 120 Tellico Port Rd Vonore, TN 37885-2434 | Shawn Dubey 423-884-2000 ext. 1457 | CHEM PASSIVATION OF STAINLESS PARTS ----- ASTM A967 & A380 | 2/28/2026 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- MIL-A-8625 | 2/28/2026 | YES |
| | | | PHOSPHATE COATING ----- MIL-DTL-16232 | 2/28/2026 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 2/28/2026 | YES |
| | | | CONVERSION COATINGS AND PRETREATMENT/METALLIC SUBSTRATES ----- TT-C-490 | 2/28/2026 | YES |
| PROTECTIVE COATINGS INC. | 1208 4TH AVENUE KENT, WA 98032 | PERRY THACKER 253-854-9330 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 2/28/2025 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 2/28/2025 | YES |
| | | | CHEM PASSIVATION OF STAINLESS PARTS ----- ASTM A967 & A380 | 2/28/2025 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- MIL-A-8625 | 2/28/2025 | YES |
| | | | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 5/31/2025 | YES |
| PTI INDUSTRIES INC | 2 PEERLESS WAY ENFIELD, CT 06082 | DAVE TOMASTIS 860-698-9266 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 2/28/2025 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 2/28/2025 | YES |
| | | | CHEM PASSIVATION OF STAINLESS PARTS ----- ASTM A967 & A380 | 2/28/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|---|---|-------------------------------|--|------------------|---------|
| PTI INDUSTRIES INC | 2 PEERLESS WAY ENFIELD, CT 06082 | DAVE TOMASTIS 860-698-9266 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 2/28/2025 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 2/28/2025 | YES |
| Purecoat International - West Palm Beach | 3301 Electronics Way West Palm Beach, FL 33407 | 561-844-0100 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 11/30/2025 | YES |
| | | | AMS-P-81728 TIN-LEAD PLATING ----- AMS-P-81728 | 11/30/2025 | YES |
| | | | NICKEL PLATING ----- AMS-QQ-N-290 | 11/30/2025 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 11/30/2025 | YES |
| | | | CHEMICAL PASSIVATION OF STAINLESS STEEL PARTS ----- ASTM A967 | 11/30/2025 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 11/30/2025 | YES |
| | | | MIL-T-10727 / ASTM B339 / ASTM B545 TIN PLATING ----- MIL-T-10727 | 11/30/2025 | YES |
| PURECOAT NORTH LLC AKA CAMBRID | 39 HITTINGER STREET BELMONT, MA 02178 | Ryan O'Connor 617-489-2750 | MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 1 ----- MIL-A-8625 TYII CL1 | 1/27/2025 | NO |
| | | | MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 2 ----- MIL-A-8625 TYII CL2 | 1/27/2025 | NO |
| | | | Nickel Plating General Purpose Electrodeposited ----- AMS 2403 | 8/31/2025 | YES |
| | | | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 8/31/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|-----------------------------------|--|--------------------------------|--|------------------|---------|
| PURECOAT NORTH LLC AKA CAMBRID | 39 HITTINGER STREET BELMONT, MA 02178 | Ryan O'Connor 617-489-2750 | NICKEL PLATING ----- AMS-QQ-N-290 | 8/31/2025 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 8/31/2025 | YES |
| | | | PASSIVATION ----- ASTM A380 | 8/31/2025 | YES |
| | | | CHEMICAL PASSIVATION OF STAINLESS STEEL PARTS ----- ASTM A967 | 8/31/2025 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 8/31/2025 | YES |
| Q TECH HEAT, INC | 2727 RUDDER STREET DALLAS, TX 75212 | CASHER DOWELL 214-630-8262 | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 9/29/2026 | NO |
| | | | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 9/29/2026 | NO |
| | | | AMS 2750 Heat Treat ----- AMS 2750 | 11/24/2026 | NO |
| | | | Heat Treatment of Steel Raw Materials ----- AMS 2761 | 11/24/2026 | NO |
| QC LABORATORIES | 2870 STIRLING RD HOLLYWOOD, FL 33020-1198 | KEVIN O'CONNER 954-925-0499 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 8/31/2025 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 8/31/2025 | YES |
| | | | RADIOGRAPHIC INSPECTION ----- ASTM E1742-95 | 8/31/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|---------------------------------|--|--------------------------------|--|------------------|---------|
| QUALITY ALUMINUM FORGE, LLC | 794 N. CYPRESS STREET ORANGE, CA 92867 | Dan Garcia 425-353-8191 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 5/31/2026 | YES |
| | | | ALUMINUM HEAT TREAT OF RAW MATERIAL ----- AMS 2772 | 2/28/2025 | YES |
| | | | HEAT TREATMENT OF ALUMINUM AND ALUMINUM ALLOYS ----- AMS-H-6088 | 2/28/2025 | YES |
| | | | Electrical Conductivity using Eddy Current Method ----- ASTM E1004 | 2/28/2025 | YES |
| | | | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 2/28/2025 | YES |
| | | | STANDARD TESTING FOR ROCKWELL HARDNESS ----- ASTM E18 | 2/28/2025 | YES |
| Quality Control Plating Company | 4425 East Airport Drive Ontario, CA 91761 | 909-605-0206 | CADMIUM PLATING ----- AMS 2400 | 8/31/2026 | YES |
| | | | CADMIUM ELECTROPLATING ----- AMS-QQ-P-416 | 8/31/2026 | YES |
| QUALITY HEAT TREAT | 3305 Burton Ave Burbank, CA 91504 | William Duarte 818-840-8212 | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 5/31/2025 | YES |
| | | | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 5/31/2025 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 5/31/2025 | YES |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 5/31/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|------------------------------|--|---|---|------------------|---------|
| QUALITY MATERIAL INSPECTION | 5442 OCEANUS DRIVE HUNTINGTON BEACH, CA 92649 | QA MANAGER 714-903-4500 | ULTRASONIC INSPECTION ----- MIL-STD-2154 | 2/28/2025 | YES |
| Quality Metal Finishing | 80 George St PATERSON, NJ 07503 | 973-345-0963 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 9/22/2025 | NO |
| | | | ASTM B 545 ELECTRODEPOSITED COATINGS OF TIN ----- ASTM B545 | 9/22/2025 | NO |
| Reliable Plating Corporation | 1538 West Lake Street Chicago, IL 60607-1468 | 312-421-4599 | ASTM B 545 ELECTRODEPOSITED COATINGS OF TIN ----- ASTM B545 | 8/4/2025 | NO |
| RENTON COIL SPRING COMPANY | 425 SOUTH 7TH STREET RENTON, WA 98057 | PAUL CHURCHILL 425-255-1453 | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 5/31/2025 | YES |
| | | | HEAT TREATMENT OF TITANIUM ----- AMS-H-81200 | 5/31/2025 | YES |
| REX HEAT TREATING | 951 W. 8th Street LANSDALE, PA 19446 | Bernadette Hoffman 215-855-1131 ext. 229 | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 11/30/2026 | YES |
| | | | Stress Relief of Steel Parts ----- AMS 2759/11 | 11/30/2026 | YES |
| | | | HEAT TREAT OF LOW-ALLOY STEEL PARTS > 220 KSI ----- AMS 2759/2 | 11/30/2026 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 11/30/2026 | YES |
| | | | HEAT TREATMENT AUSTENITIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/4 | 11/30/2026 | YES |
| | | | HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 11/30/2026 | YES |
| | | | | | |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|------------------------------------|--|---|--|------------------|---------|
| REX HEAT TREATING | 951 W. 8th Street LANSDALE, PA 19446 | Bernadette Hoffman 215-855-1131 ext. 229 | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 11/30/2026 | YES |
| | | | HEAT TREATMENT OF TITANIUM ----- AMS-H-81200 | 11/30/2026 | YES |
| | | | STANDARD TESTING FOR ROCKWELL HARDNESS ----- ASTM E18 | 11/30/2026 | YES |
| River Street Metal Finishing, Inc. | 35 Johnson Lane - Roc Sam Industrial Pk Braintree, MA 02184 | 7818439351 | ANODIZE ALUMINUM, SULFURIC ACID ----- AMS 2471 | 5/31/2025 | YES |
| | | | ANODIZING OF ALUMINUM & ALUMINUM ALLOYS ----- AMS 2472 | 5/31/2025 | YES |
| | | | Hard Coating of Alum Alloys Teflon Impregnated or Codeposit ----- AMS 2482 | 5/31/2025 | YES |
| | | | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 5/31/2025 | YES |
| | | | PASSIVATION ----- ASTM A380 | 5/31/2025 | YES |
| | | | CHEMICAL PASSIVATION OF STAINLESS STEEL PARTS ----- ASTM A967 | 5/31/2025 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- MIL-A-8625 | 5/31/2025 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 5/31/2025 | YES |
| SAPORITO FINISHING | 3119 SOUTH AUSTIN BLVD. CICERO, IL 60804 | 708-222-5300 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 11/30/2025 | YES |
| | | | MAGNESIUM ALLOY, PRETREAT & PREV. OF CORR ----- AMS-M-3171 | 11/30/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|---|---|-------------------------------------|--|------------------|---------|
| SAPORITO FINISHING | 3119 SOUTH AUSTIN BLVD. CINCINNATI, OH 45224 | 708-222-5300 | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 11/30/2025 | YES |
| SIFCO | 5708 E. SCHAAF ROAD INDEPENDENCE, OH 44131 | DEREK VANEK 216-524-0099 | SELECTIVE (BRUSH PLATING) ELECTRO DEP ----- MIL-STD-865 | 8/31/2025 | YES |
| SILVEX | 45 THOMAS DRIVE WESTBROOK, ME 04092-3833 | George Johnson 207-761-0392 X126 | ANODIZE ALUMINUM, SULFURIC ACID ----- AMS 2471 | 2/28/2025 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- MIL-A-8625 | 2/28/2025 | YES |
| | | | PHOSPHATE COATING ----- MIL-DTL-16232 | 2/28/2025 | YES |
| SKF KAYDON BEARINGS fka KAYDON PLANT #12B | 925 CORPORATE CIRCLE SUMTER, SC 29154 | QUALITY MANAGER 803-481-8571 | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 10/16/2026 | NO |
| SOLAR ATMOSPHERES OF WESTERN PA | 30 Industrial Road Hermitage, PA 16148 | 724-982-0660 | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 2/28/2025 | YES |
| | | | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 2/28/2025 | YES |
| | | | Stress Relief of Steel Parts ----- AMS 2759/11 | 2/28/2025 | YES |
| | | | HEAT TREAT OF LOW-ALLOY STEEL PARTS > 220 KSI ----- AMS 2759/2 | 2/28/2025 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 2/28/2025 | YES |
| | | | HEAT TREATMENT AUSTENITIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/4 | 2/28/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--|--|--|--|---------------------------------------|--------------------------------|
| SOLAR ATMOSPHERES OF WESTERN PA | 30 Industrial Road Hermitage , PA 16148 | 724-982-0660 | HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 2/28/2025 | YES |
| | | | SOUSA CORP, THE | 565 CEDAR ST. NEWINGTON , CT 06111 | ANDY SOUSA 860-523-9090 |
| HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 5/4/2026 | NO | | | |
| HEAT TREAT OF LOW-ALLOY STEEL PARTS > 220 KSI ----- AMS 2759/2 | 5/4/2026 | NO | | | |
| HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 5/4/2026 | NO | | | |
| HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 5/4/2026 | NO | | | |
| CARBURIZING & HEAT TREAT OF CARB. GR. STEEL ----- AMS 2759/7 | 5/4/2026 | NO | | | |
| CARBURIZING CARBON & LOW ALLOY STEELS ----- AMS 2762 | 5/4/2026 | NO | | | |
| GD-OTS Induction & Flame Hardening Reqmts ----- G02.797 | 5/4/2026 | NO | | | |
| SOUTHERN MAINE SPECIALTIES INC | 45 HUTCHERSON DRIVE GORHAM , ME 04038 | ***LIMITED PART NUMBERS*** ***CONTACT GD- WEAPON SYSTEMS*** | HARD COAT ALUMINUM ----- AMS 2469 | | |
| | | | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 11/30/2025 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 11/30/2025 | YES |
| | | | PASSIVATION ----- ASTM A380 | 11/30/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--------------------------------|--|---|--|------------------|---------|
| SOUTHERN MAINE SPECIALTIES INC | 45 HUTCHERSON DRIVE GORHAM , ME 04038 | ***LIMITED PART NUMBERS*** ***CONTACT GD-WEAPON SYSTEMS*** | CHEMICAL PASSIVATION OF STAINLESS STEEL PARTS ----- ASTM A967 | 11/30/2025 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- MIL-A-8625 | 11/30/2025 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 11/30/2025 | YES |
| SPECIALTY STEEL TREATING | 12 KRIPES ROAD EAST GRANBY , CT 06026 | RYAN COLLMORGEN 860-653-0061 | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 11/30/2025 | YES |
| | | | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 11/30/2025 | YES |
| | | | HEAT TREAT OF LOW-ALLOY STEEL PARTS > 220 KSI ----- AMS 2759/2 | 11/30/2025 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 11/30/2025 | YES |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 11/30/2025 | YES |
| | | | FURNACE BRAZING ----- MIL-B-7883 TYPE II | 11/30/2025 | YES |
| SPECIALTY STEEL TREATING, INC. | 34501 COMMERCE ROAD FRASER , MI 48026 | TOM VALENTI 810-293-5355 | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 2/28/2025 | YES |
| | | | GAS NITRIDING AND HEAT TREATMENT OF LOW-ALLOY STEEL PARTS ----- AMS 2759/6 | 2/28/2025 | YES |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 2/28/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--------------------------------------|---|----------------------------|---|------------------|---------|
| STABILE PLATING | 1150 E EDNA PLACE COVINA , CA 91724 | QA MANAGER 626-339-9091 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 5/31/2025 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- AMS-A-8625 | 5/31/2025 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 5/31/2025 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- MIL-A-8625 | 5/31/2025 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 5/31/2025 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- QQ-P-35 | 5/31/2025 | YES |
| STACK METALLURGICAL SERVICES | PO Box 17176 Portland , OR 97217 | 503-285-7703 | HEAT TREATMENT OF TITANIUM ALLOY PARTS ----- AMS 2801 | 2/28/2025 | YES |
| STD PRECISION GEAR & INSTRUMENT INC. | 318 MANLEY STREET WEST BRIDGEWATER , MA 02379-1087 MA | 508-580-0035 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 8/31/2025 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 8/31/2025 | YES |
| | | | PASSIVATION ----- ASTM A380 | 8/31/2025 | YES |
| | | | CHEMICAL PASSIVATION OF STAINLESS STEEL PARTS ----- ASTM A967 | 8/31/2025 | YES |
| | | | Induction Hardening of Steel Parts ----- AMS 2745 | 5/31/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--|--|---|---|------------------|---------|
| STD PRECISION GEAR & INSTRUMENT INC. | 318 MANLEY STREET WEST BRIDGEWATER, MA 02379-1087 MA | 508-580-0035 | AMS 2750 Heat Treat ----- AMS 2750 | 5/31/2026 | YES |
| | | | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 5/31/2026 | YES |
| | | | Stress Relief of Steel Parts ----- AMS 2759/11 | 5/31/2026 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 5/31/2026 | YES |
| | | | STANDARD TESTING FOR ROCKWELL HARDNESS ----- ASTM E18 | 5/31/2026 | YES |
| SUPERIOR PLATING CO | 2 LACEY PLACE SOUTHPORT, CT 06490-1207 | 203 255-1501 | CHROMIUM PLATING ----- AMS-QQ-C-320 | 2/28/2026 | YES |
| SYNERGY METAL FINISHING (INCERTEC FLORIDA) | 895 BUFFALO RD TITUSVILLE, FL 32796 | HOWARD WOERNLEY/BRANDI RANKIN 321-383-7798 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 12/31/2024 | YES |
| | | | AMS-P-81728 TIN-LEAD PLATING ----- AMS-P-81728 | 12/31/2024 | YES |
| | | | NICKEL PLATING ----- AMS-QQ-N-290 | 12/31/2024 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 12/31/2024 | YES |
| | | | CHEM PASSIVATION OF STAINLESS PARTS ----- ASTM A967 & A380 | 12/31/2024 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- MIL-A-8625 | 12/31/2024 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--|--|---|---|------------------|---------|
| SYNERGY METAL FINISHING (INCERTEC FLORIDA) | 895 BUFFALO RD TITUSVILLE, FL 32796 | HOWARD WOERNLEY/BRANDI RANKIN 321-383-7798 | ELECTROLESS NICKEL PLATING CLASS 1 ----- MIL-C-26074 CL1 | 12/31/2024 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 12/31/2024 | YES |
| | | | MIL-T-10727 / ASTM B339 / ASTM B545 TIN PLATING ----- MIL-T-10727 | 12/31/2024 | YES |
| TA AEROSPACE CO | 28065 Franklin Parkway Valencia, CA 91355 | 661-775-1100 | Hardness & Conductivity Inspection of Wrought Alum Alloy Par ----- AMS 2658 | 8/31/2025 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 8/31/2025 | YES |
| | | | HEAT TREATMENT OF PARTS IN A VACUUM ----- AMS 2769 | 8/31/2025 | YES |
| | | | HEAT TREATMENT OF WROUGHT ALUMINUM ALLOY PARTS ----- AMS 2770 | 8/31/2025 | YES |
| | | | Electrical Conductivity using Eddy Current Method ----- ASTM E1004 | 8/31/2025 | YES |
| | | | STANDARD TESTING FOR ROCKWELL HARDNESS ----- ASTM E18 | 8/31/2025 | YES |
| TEAM INDUSTRIAL SERVICES | 710 Hastings Ave. Suite 300 NEWPORT, MN 55055 | Brandon Giesen 651-633-7616 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 5/31/2026 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 5/31/2026 | YES |
| TECHMETALS, INC | 345 SPRINGFIELD STREET DAYTON, OH 45403 | TIM ASH 937-253-5311 | Anodizing Titanium and Titanium Alloys Solution ph 13 or > ----- AMS 2488 | 5/31/2025 | YES |
| | | | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 5/31/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|---|---|-------------------------|--|---|-------------------------------------|
| TECHMETALS, INC | 345 SPRINGFIELD STREET DAYTON , OH 45403 | TIM ASH 937-253-5311 | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 5/31/2025 | YES |
| | | | CADMIUM ELECTROPLATING ----- AMS-QQ-P-416 | 5/31/2025 | YES |
| | | | MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 1 ----- MIL-A-8625 TYII CL1 | 5/31/2025 | YES |
| | | | MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 2 ----- MIL-A-8625 TYII CL2 | 5/31/2025 | YES |
| | | | MIL-A-8625 HARDCOAT - ALUM ANOD TYPE III, CLASS 1 ----- MIL-A-8625 TYIII CL1 | 5/31/2025 | YES |
| | | | MIL-A-8625 HARDCOAT - ALUM ANOD TYPE III, CLASS 2 ----- MIL-A-8625 TYIII CL2 | 5/31/2025 | YES |
| | | | ALUM CHEMICAL FILM TYPE I ----- MIL-DTL-5541 TYI | 5/31/2025 | YES |
| | | | ALUM CHEMICAL FILM TYPE II ----- MIL-DTL-5541 TYII | 5/31/2025 | YES |
| | | | SELECTIVE (BRUSH PLATING) ELECTRO DEP ----- MIL-STD-865 | 5/31/2025 | YES |
| | | | COATING, TITANIUM NITRIDE PHYSICAL VAPOR DEPOSITION ----- AMS 2444A | 5/31/2025 | YES |
| | | | TENSILE TESTING METALLURGICAL LAB | 4520 WILLOW PKWY CUYAHOGA HEIGHTS , OH 44125 | James E. Rauckhorst 216-641-3290 |
| Mechanical Testing of Steel Products ----- ASTM A370 | 5/31/2025 | YES | | | |
| Standard Test Method for Brinell Hardness- Metallic Material ----- ASTM E10 | 5/31/2025 | YES | | | |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--------------------------------------|--|--|--|------------------|---------|
| TENSILE TESTING METALLURGICAL LAB | 4520 WILLOW PKWY CUYAHOGA HEIGHTS , OH 44125 | James E. Rauckhorst 216-641-3290 | STANDARD TESTING FOR ROCKWELL HARDNESS ----- ASTM E18 | 5/31/2025 | YES |
| | | | Standard Test Methods/Tension Testing of Metallic Materials ----- ASTM E8 | 5/31/2025 | YES |
| | | | Compression Testing of Metallic Materials ----- ASTM E9 | 5/31/2025 | YES |
| Terma A/S Aerostructures | FABRIKVEJ 1 GRENAA , XX 8500 Denmark | Tony Moller +45 8779 5362 | Ultrasonic Testing ----- AMS 2154 | 5/31/2025 | YES |
| | | | Composite Manufacturing ----- P212 | 5/31/2025 | YES |
| The Lab - Materials Testing | 11150 White Birch Dr. Rancho Cucamonga , CA 91730 | 909-944-2777 | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 8/31/2026 | YES |
| THERMETCO INC | 1999 RUE WILLIAM MONTREAL , H3J 1R9 CANADA | MILENKA DENTCHEVA- KAMENOVA 514-934-3945 | HEAT TREAT CARBON & LOW ALLOY STEEL < 220 KSI ----- AMS 2759/1 | 8/31/2025 | YES |
| | | | HEAT TREAT OF LOW-ALLOY STEEL PARTS > 220 KSI ----- AMS 2759/2 | 8/31/2025 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 8/31/2025 | YES |
| | | | HEAT TREATMENT MARTENISTIC CORROSION-RESISTANT STEEL PARTS ----- AMS 2759/5 | 8/31/2025 | YES |
| | | | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 8/31/2025 | YES |
| THERMO-CRAFT ENGINEERING CORP | 701 WESTERN AVENUE LYNN , MA 01905 MA | 781-599-4023 | TORCH BRAZING ----- AWS C3.4 | 10/18/2027 | NO |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|---------------------------------------|---|--------------------------------|--|------------------|---------|
| THERMO-CRAFT ENGINEERING CORP | 701 WESTERN AVENUE LYNN, MA 01905 MA | 781-599-4023 | SPECIFICATIONS FOR WELDING, ALUMINUM, and ALUMINUM ALLOY ----- MIL-W-22248A | 10/18/2027 | NO |
| | | | AWS D1.2 ALUMINUM STRUCTURAL WELDING ----- A10458 AWS D1.2 | 9/18/2027 | NO |
| | | | FUSION WELDING FOR AEROSPACE ----- A10458 AWS D17.1 | 9/18/2027 | NO |
| TRI-ANGLE METAL FAB | 100 GONYEAU ROAD MILTON, VT 05468 | W. DEVENGER 802-893-1581 | FUSION WELDING ----- MIL-STD-2219 FUSION | 2/28/2025 | YES |
| | | | INERT ARC-TIG WELDING ALUMINUM ----- MIL-STD-2219 INERT | 2/28/2025 | YES |
| | | | TIG WELDING CARBON STEEL ----- MIL-STD-2219 TIG CAR | 2/28/2025 | YES |
| | | | TIG WELDING STAINLESS ALLOYS ----- MIL-STD-2219 TIG SA | 2/28/2025 | YES |
| | | | SPECIFICATIONS FOR WELDING, ALUMINUM, and ALUMINUM ALLOY ----- MIL-W-22248A | 2/28/2025 | YES |
| | | | AWS D1.6 - D17.1 SS STRUCTURAL WELDING ----- A10458 AWS D1.6 - D1 | 11/9/2026 | NO |
| TRIPLE CITIES METAL FINISHING CORP | 349 Industrial Park Drive Binghamton, NY 13904 | Dave Arbes, Quality Manager | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 2/28/2025 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- AMS-A-8625 | 2/28/2025 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 2/28/2025 | YES |
| | | | CHEM PASSIVATION OF STAINLESS PARTS ----- ASTM A967 & A380 | 2/28/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--|---|-------------------------------|--|------------------|---------|
| TRIPLE CITIES METAL FINISHING CORP | 349 Industrial Park Drive Binghamton , NY 13904 | Dave Arbes, Quality Manager | ZINC ELECTROPLATING ----- ASTM B633 | 2/28/2025 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- MIL-A-8625 | 2/28/2025 | YES |
| | | | CHEMICAL CONVERSION COAT ON ALU ----- MIL-C-5541 | 2/28/2025 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 2/28/2025 | YES |
| TROY TUBE & MANUFACTURING CO. | 50100 EAST RUSSELL SCHMIDT CHESTERFIELD , MI 48051 | Tom Gibbs 586-949-8700 | FUSION WELDING FOR AEROSPACE ----- A10458 AWS D17.1 | 1/23/2027 | NO |
| | | | FUSION WELDING FOR AEROSPACE ----- AWS-D-17.1 | 1/23/2027 | NO |
| Trust Manufacturing, LLC dba TDC Systems | 38296 Western Parkway Willoughby , OH 44094 | 440-953-5918 | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 2/28/2025 | YES |
| | | | CHEM PASSIVATION OF STAINLESS PARTS ----- ASTM A967 & A380 | 2/28/2025 | YES |
| | | | PHOSPHATE COATING ----- MIL-DTL-16232 | 2/28/2025 | YES |
| | | | LUBRICANT, SOLID FILM, HEAT CURED, CORROSION INHIBITING NA ----- MIL-PRF-46010 | 2/28/2025 | YES |
| Tube Bending Technology LLC | 13356 MANHASSET ROAD APPLE VALLEY , CA 92308-5752 | 760-948-4220 | FUSION WELDING FOR AEROSPACE ----- AWS-D-17.1 | 11/30/2025 | YES |
| ULTRA LABS | 196 ST CLAIR AVE CLEVELAND , OH 44117-1009 | DOUG ROYON | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 2/28/2026 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--------------------------|---|--------------------------------|---|------------------|---------|
| Ultraspec Finishing Inc. | 2600 De Miniac St. Laurent , H4S 1L7 Quebec | 514-337-1782 | PASSIVATION OF CORROSION RESISTANT STEELS (including corrosion test) ----- AMS 2700 CT | 2/28/2025 | YES |
| | | | PASSIVATION ----- ASTM A380 | 2/28/2025 | YES |
| | | | CHEMICAL PASSIVATION OF STAINLESS STEEL PARTS ----- ASTM A967 | 2/28/2025 | YES |
| UNI-CAST INC | 11 INDUSTRIAL DRIVE LONDONDERRY , NH 03053 | KEVIN CARLS 603-625-5761 | In-Process Welding of Castings ----- A10318 | 2/28/2025 | YES |
| | | | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 5/31/2025 | YES |
| | | | RADIOGRAPHIC INSPECTION ----- ASTM E1742 | 5/31/2025 | YES |
| | | | Heat Treatment of Aluminum Alloy Castings ----- AMS 2771 | 2/28/2026 | YES |
| VAC AERO INTERNATIONAL | 7450 VERITE ST-LAURENT , H4S 1C5 QUEBEC | LOUIS BEAUVAIS 514-334-4240 | HEAT TREATMENT OF STEEL ----- AMS-H-6875 | 11/30/2025 | YES |
| Valence Seattle | 8135 1ST AVE. SOUTH SEATTLE , WA 98108 | RICK REESE 206-762-5855 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 2/28/2025 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 2/28/2025 | YES |
| Valley Metals | 13125 Gregg St Poway , CA 92064 | 858-513-1300 | FUSION WELDING FOR AEROSPACE ----- A10458 AWS D17.1 | 5/31/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--------------------|--|--|--|------------------|---------|
| VALLEY PLATING INC | 412 ALBANY STREET SPRINGFIELD, MA 01105 | TIM MARTIN Quality Control Mgr. 413-788-7666 | COPPER ELECTROPLATING ----- AMS 2418 | 5/31/2025 | YES |
| | | | CONVERSION/PHOSPHATE COATINGS ----- AMS 2473 | 5/31/2025 | YES |
| | | | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 5/31/2025 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 5/31/2025 | YES |
| | | | CHEM PASSIVATION OF STAINLESS PARTS ----- ASTM A967 & A380 | 5/31/2025 | YES |
| | | | ASTM B 545 ELECTRODEPOSITED COATINGS OF TIN ----- ASTM B545 | 5/31/2025 | YES |
| | | | ELECTRODEPOSITED SILVER ----- ASTM B700 | 5/31/2025 | YES |
| | | | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE I, CLASS 1 ----- MIL-A-8625 TYI CL1 | 5/31/2025 | YES |
| | | | MIL-A-8625 CHROMIC ACID - ALUM ANOD TYPE I, CLASS 2 ----- MIL-A-8625 TYI CL2 | 5/31/2025 | YES |
| | | | MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 1 ----- MIL-A-8625 TYII CL1 | 5/31/2025 | YES |
| | | | MIL-A-8625 SULFURIC ACID - ALUM ANOD TYPE II CLASS 2 ----- MIL-A-8625 TYII CL2 | 5/31/2025 | YES |
| | | | MIL-A-8625 HARDCOAT - ALUM ANOD TYPE III, CLASS 1 ----- MIL-A-8625 TYIII CL1 | 5/31/2025 | YES |
| | | | MIL-A-8625 HARDCOAT - ALUM ANOD TYPE III, CLASS 2 ----- MIL-A-8625 TYIII CL2 | 5/31/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|---|--|--|---|---|---------------------------------------|
| VALLEY PLATING INC | 412 ALBANY STREET SPRINGFIELD, MA 01105 | TIM MARTIN Quality Control Mgr. 413-788-7666 | COPPER ELECTROPLATING ----- MIL-C-14550 | 5/31/2025 | YES |
| | | | CLASS 1, BLACK OXIDE ----- MIL-DTL-13924 CL 1 | 5/31/2025 | YES |
| | | | PHOSPHATE COATING ----- MIL-DTL-16232 | 5/31/2025 | YES |
| | | | ALUM CHEMICAL FILM TYPE II, CLASS 3 ----- MIL-DTL-5541 TY2 CL3 | 5/31/2025 | YES |
| | | | ALUM CHEMICAL FILM TYPE II, CLASS 1A ----- MIL-DTL-5541 TY2CL1A | 5/31/2025 | YES |
| | | | ALUM CHEMICAL FILM TYPE I, CLASS 3 ----- MIL-DTL-5541 TY1 CL3 | 5/31/2025 | YES |
| | | | ALUM CHEMICAL FILM TYPE I, CLASS 1A ----- MIL-DTL-5541 TYICL1A | 5/31/2025 | YES |
| | | | TYPE I TIN ELECTROPLATING ----- MIL-T-10727 TY1 | 5/31/2025 | YES |
| | | | NICKEL ELECTROPLATING ----- QQ-N-290 | 5/31/2025 | YES |
| | | | CADMIUM ELECTROPLATING ----- QQ-P-416 | 5/31/2025 | YES |
| | | | SILVER ELECTROPLATING ----- QQ-S-365 | 5/31/2025 | YES |
| | | | VERMONT AEROSPACE INDUSTRIES LLC | 966 Industrial Parkway LYNDONVILLE, VT 05851 | Troy Shatney 802-748-8705 X212 |
| TORCH BRAZING ----- MIL-B-7883 TYPE 1 | 7/1/2027 | NO | | | |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--|---|---------------------------------------|--|------------------|---------|
| VERMONT AEROSPACE INDUSTRIES LLC | 966 Industrial Parkway LYNDONVILLE, VT 05851 | Troy Shatney 802-748-8705 X212 | SPECIFICATIONS FOR WELDING, ALUMINUM, and ALUMINUM ALLOY ----- MIL-W-22248A | 7/18/2026 | NO |
| | | | AWS D1.2 ALUMINUM STRUCTURAL WELDING ----- A10458 AWS D1.2 | 7/1/2027 | NO |
| | | | FUSION WELDING FOR AEROSPACE ----- A10458 AWS D17.1 | 7/1/2027 | NO |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 7/1/2027 | NO |
| | | | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 3/11/2025 | NO |
| VESTSHELL INC. | 10378 PELLITIER AVENUE MONTREAL NORTH, H1H 3R3 QUEBEC | Sylvain Héon 514-326-1280 ext. 263 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 2/28/2025 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 2/28/2025 | YES |
| | | | RADIOGRAPHIC INSPECTION ----- ASTM E1742 | 2/28/2025 | YES |
| | | | In-Process Welding of Castings ----- A10318 | 5/13/2025 | NO |
| | | | HEAT TREAT OF STEEL PARTS, GENERAL REQUIREMENTS ----- AMS 2759 | 5/31/2025 | YES |
| | | | HEAT TREAT PRECIPITATION HARDENING ----- AMS 2759/3 | 5/31/2025 | YES |
| | | | IN PROCESS WELDING OF CASTINGS (AMS) ----- SAE AMS 2694 | 10/22/2027 | NO |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--|---|---|--|------------------|---------|
| WEBER METALS, INC. | 16706 GARFIELD AVENUE PARAMOUNT, CA 90723 | Rudy Macias / MARIO BRACEY 562-602-0260 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 5/31/2025 | YES |
| | | | ULTRASONIC INSPECTION ----- MIL-STD-2154 | 5/31/2025 | YES |
| | | | ALUMINUM HEAT TREAT OF RAW MATERIAL ----- AMS 2772 | 5/31/2025 | YES |
| | | | HEAT TREATMENT OF ALUMINUM ALLOYS ----- MIL-H-6088G | 5/31/2025 | YES |
| WEST PENN TESTING LABS | 1010 INDUSTRIAL BLVD. NEW KENSINGTON, PA 15068 | MARK POMPE 724-334-1900 | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 11/30/2025 | YES |
| WESTERN AEROSPACE INSPECTION | 1376 WALTER STREET, UNIT D7 VENTURA, CA 93003 | JAMIE LAGOS, QUALITY MANAGER 805-644-3882 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 11/30/2025 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 11/30/2025 | YES |
| | | | RADIOGRAPHIC INSPECTION ----- ASTM E1742-95 | 11/30/2025 | YES |
| WESTFIELD ELECTROPLATING CO | 340 Lockhouse Road WESTFIELD, MA 01085 | 413-568-3716 | Primer Coatings: Epoxy, High-Solids ----- MIL-PRF-23377 | 8/31/2025 | YES |
| WESTFIELD ELECTROPLATING COMPANY INC | 68 NORTH ELM STREET WESTFIELD, MA 01086 | SCOTT SERRE/Keven Kadelka 413-568-3716 | Surface Conditioning of Corrosion Resistant Steels ----- 5544271 | 8/4/2025 | NO |
| | | | Diversey Process for Castings ----- A10360 | 8/4/2025 | NO |
| | | | PLATING ELECTROLESS NICKEL ----- AMS 2404 | 8/31/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|--|--|--|--|------------------|---------|
| WESTFIELD ELECTROPLATING COMPANY INC | 68 NORTH ELM STREET WESTFIELD, MA 01086 | SCOTT SERRE/Keven Kadelka 413-568-3716 | Chromium Coating, Thin, Hard, Dense Deposit ----- AMS 2406 | 8/31/2025 | YES |
| | | | NICKEL/CADMIUM, DIFFUSED ----- AMS 2416 | 8/31/2025 | YES |
| | | | COPPER ELECTROPLATING ----- AMS 2418 | 8/31/2025 | YES |
| | | | CONVERSION/PHOSPHATE COATINGS ----- AMS 2473 | 8/31/2025 | YES |
| | | | Hard Coating of Alum Alloys Teflon Impregnated or Codeposit ----- AMS 2482 | 8/31/2025 | YES |
| | | | CONVERSION COATINGS - STEEL ----- AMS 2485 | 8/31/2025 | YES |
| | | | CONVERSION COATING TITANIUM ----- AMS 2486 | 8/31/2025 | YES |
| | | | Anodizing Titanium and Titanium Alloys Solution ph 13 or > ----- AMS 2488 | 8/31/2025 | YES |
| | | | PASSIVATION OF CORROSION RESISTANT STEELS ----- AMS 2700 | 8/31/2025 | YES |
| | | | ELECTROLESS - NICKEL PLATING ----- AMS-C-26074 | 8/31/2025 | YES |
| | | | AMS-P-81728 TIN-LEAD PLATING ----- AMS-P-81728 | 8/31/2025 | YES |
| | | | CHROMIUM PLATING ----- AMS-QQ-C-320 | 8/31/2025 | YES |
| | | | PASSIVATION-STAINLESS STEEL ----- AMS-QQ-P-35 | 8/31/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|---|--|---|---|------------------|---------|
| WESTFIELD ELECTROPLATING COMPANY INC | 68 NORTH ELM STREET WESTFIELD, MA 01086 | SCOTT SERRE/Keven Kadelka 413-568-3716 | CHEM PASSIVATION OF STAINLESS PARTS ----- ASTM A967 & A380 | 8/31/2025 | YES |
| | | | ASTM B 545 ELECTRODEPOSITED COATINGS OF TIN ----- ASTM B545 | 8/31/2025 | YES |
| | | | Descaling & Cleaning Titanium & Titanium Alloy Surfaces ----- ASTM B600 | 8/31/2025 | YES |
| | | | ZINC ELECTROPLATING ----- ASTM B633 | 8/31/2025 | YES |
| | | | ELECTRODEPOSITED SILVER ----- ASTM B700 | 8/31/2025 | YES |
| | | | Electroless Nickel - Phosphorus Coatings ----- ASTM B733 | 8/31/2025 | YES |
| | | | ANODIC COATINGS FOR ALUMINUM & ALUMINUM ALLOYS ----- MIL-A-8625 | 8/31/2025 | YES |
| | | | ELECTROLESS NICKEL PLATING ----- MIL-C-26074 | 8/31/2025 | YES |
| | | | CLASS 1, BLACK OXIDE ----- MIL-DTL-13924 CL 1 | 8/31/2025 | YES |
| | | | CLASS 4, BLACK OXIDE ----- MIL-DTL-13924 CL 4 | 8/31/2025 | YES |
| | | | PHOSPHATE COATING ----- MIL-DTL-16232 | 8/31/2025 | YES |
| | | | ALUM CHEMICAL FILM ----- MIL-DTL-5541 | 8/31/2025 | YES |
| | | | TYPE I TIN ELECTROPLATING ----- MIL-T-10727 TYI | 8/31/2025 | YES |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: | | | |
|---|--|--|--|---|-----------------------------------|---|-----------|-----|
| WESTFIELD ELECTROPLATING COMPANY INC | 68 NORTH ELM STREET WESTFIELD, MA 01086 | SCOTT SERRE/Keven Kadelka 413-568-3716 | TYPE II HOT DIP TIN COATING ----- MIL-T-10727 TYPE II | 8/31/2025 | YES | | | |
| | | | QQ-N-290 NICKEL ELECTROPLATING CLASS 1 ----- QQ-N-290 CL1 | 8/31/2025 | YES | | | |
| | | | QQ-N-290 NICKEL ELECTROPLATING CLASS 2 ----- QQ-N-290 CL2 | 8/31/2025 | YES | | | |
| | | | QQ-P-416F CADMIUM ELECTROPLATING TYPE I ----- QQ-P-416F TYI | 8/31/2025 | YES | | | |
| | | | QQ-P-416F CADMIUM ELECTROPLATING TYPE II ----- QQ-P-416F TYII | 8/31/2025 | YES | | | |
| | | | QQ-P-416F CADMIUM ELECTROPLATING TYPE III ----- QQ-P-416F TYIII | 8/31/2025 | YES | | | |
| | | | QQ-S-365 SILVER ELECTROPLATING TYPE I, GRADE A ----- QQ-S-365 TYI GRDA | 8/31/2025 | YES | | | |
| | | | QQ-S-365 SILVER ELECTROPLATING TYPE I, GRADE B ----- QQ-S-365 TYI GRDB | 8/31/2025 | YES | | | |
| | | | QQ-S-365 SILVER ELECTROPLATING TYPE II, GRADE A ----- QQ-S-365 TYII GRDA | 8/31/2025 | YES | | | |
| | | | QQ-S-365 SILVER ELECTROPLATING TYPE II, GRADE B ----- QQ-S-365 TYII GRDB | 8/31/2025 | YES | | | |
| | | | WILL-MOR MANUFACTURING | 153 BATCHELDER ROAD SEABROOK, NH 03874 | Bryan Drew 603-474-8971 ext 23 | TORCH BRAZING ----- AWS C3.4 | 2/28/2026 | YES |
| | | | | | | FUSION WELDING FOR AEROSPACE ----- AWS-D-17.1 | 2/28/2026 | YES |
| TORCH BRAZING ----- MIL-B-7883 TYPE 1 | 2/28/2026 | YES | | | | | | |

ASPL By Supplier

| VENDOR NAME: | VENDOR NUM, NAME2, and ADDRESS: | VENDOR CONTACT: | PROCESS DESCRIPTION and CODE: | OTS EXPIRE DATE: | NADCAP: |
|------------------------|--|-----------------------------------|---|------------------|---------|
| WON IL SPECIAL WELDING | Bongamgongdan10 gil 79 Changwon, Masanhoewon-gu , KS011 Gyeongsangnam | Kangyoon, Moon 82-10-8974-9040 | FUSION WELDING FOR AEROSPACE ----- A10458 AWS D17.1 | 2/28/2025 | NO |
| | | | Torch Brazing ----- AWS C3.4 CLASS B | 2/21/2025 | NO |
| | | | TORCH BRAZING ----- MIL-B-7883 TYPE 1 | 2/21/2025 | NO |
| XRI TESTING | 1961 Thunderbird TROY , MI 48084 | LARRY TODD 248-362-5050 | LIQUID PENETRANT INSPECTION ----- ASTM E1417 | 8/31/2025 | YES |
| | | | MAGNETIC PARTICLE INSPECTION ----- ASTM E1444 | 8/31/2025 | YES |
| | | | RADIOGRAPHIC INSPECTION ----- ASTM E1742-00 | 8/31/2025 | YES |